

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau


## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>7</sup> : <b>A01N 63/00, 63/02, C12N 15/31, C12P 21/00, C07K 14/24 // (C12P 21/00, C12R 1:01)</b>		<b>A1</b>	(11) International Publication Number: <b>WO 00/42855</b>
			(43) International Publication Date: <b>27 July 2000 (27.07.00)</b>
(21) International Application Number: <b>PCT/GB00/00219</b>		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: <b>24 January 2000 (24.01.00)</b>			
(30) Priority Data: <b>9901499.5 22 January 1999 (22.01.99) GB</b>			
(71) Applicant (for all designated States except US): <b>HORTICULTURE RESEARCH INTERNATIONAL [GB/GB]; Wellesbourne, Warwick, Warwickshire CV35 9EF (GB).</b>			
(72) Inventors; and (75) Inventors/Applicants (for US only): <b>MORGAN, James, Alun, Wynne [GB/GB]; Horticulture Research International, Wellesbourne, Warwick, Warwickshire CV35 9EF (GB). JARRETT, Paul [GB/GB]; Horticulture Research International, Wellesbourne, Warwick, Warwickshire CV35 9EF (GB). ELLIS, Debbie [GB/GB]; Horticulture Research International, Wellesbourne, Warwick, Warwickshire CV35 9EF (GB). OUSLEY, Margaret, Anne [GB/GB]; Horticulture Research International, Wellesbourne, Warwick, Warwickshire CV35 9EF (GB).</b>		Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i> <i>With an indication in relation to deposited biological material furnished under Rule 13bis separately from the description.</i>	
(74) Agent: <b>RUFFLES, Graham, Keith; Marks &amp; Clerk, 57-60 Lincoln's Inn Fields, London WC2A 3LS (GB).</b>			

(54) Title: **BIOLOGICAL CONTROL OF NEMATODES**

## (57) Abstract

Nematodes can be controlled through the use of bacteria associated symbiotically with an entomopathogenic nematode. The bacteria can be employed for nematode control, or engineered to a recombinant form. Control may be achieved using material such as a peptide. The peptide can be obtained from a natural or engineered nucleic acid.



**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

**BIOLOGICAL CONTROL OF NEMATODES****TECHNICAL FIELD**

The present invention relates to methods and materials for controlling nematodes.

**PRIOR ART**

Several thousand species of nematodes, sometimes called eel worms, are known. Numerous nematodes attack and parasitize humans and animals and cause disease. Additionally, several hundred species are known to feed on living plants. Certain of these are reviewed by Agrios in "Plant Pathology - 3rd Ed" Pub Academic Press Inc, see Chapter 15 therein.

Methods of controlling nematodes and their associated diseases include cultural practices; biological methods, e.g. use of resistant varieties; physical methods, e.g. heat; and use of chemical agents.

Patent application WO 92/19739 (Mycogen) relates to genes and gene fragments from *Bacillus thuringiensis* which have nematocidal activity. These generally encode crystal toxins from particular strains.

Patent application EP 0 303 426 (Mycogen) also relates to strains of *B. thuringiensis* which have nematocidal activity.

Patent application EP 0 171 381 (Monsanto) relates to particular soil bacteria which are capable of proliferating in an environment which is infested with

nematodes such as pseudomonads which colonise the surface of plant roots. The basis for the controlling activity appears to stem from glycosidase enzymes which are hypothesised to directly inhibit the nematodes.

Notwithstanding these disclosures, there is an ongoing requirement for materials which have nematocidal activity, for instance for use in crop protection or nematode-mediated disease control.

Patent application PCT/WO 99/22598 (University of Reading) published 14 May 1999 claims a biopesticide for the control of insect pests or plant parasitic nematodes or both, which comprises as an effective agent a species of bacteria which is a symbiont of an entomopathogenic nematode.

#### DISCLOSURE OF THE INVENTION

The present inventors have established that species of bacteria which in nature are associated symbiotically with entomopathogenic nematodes, can in fact be utilised to control nematodes, and in preferred forms of the invention, to kill them. The bacteria themselves can be employed, or nematode control agents can be used which are derived from such bacteria. In one aspect of the invention, the present invention employs bacteria which are engineered and thus not naturally occurring, or nematode control agents which are derived from natural or non-natural bacteria.

It has been reported that certain bacterial species such as *Xenorhabdus* and *Photorhabdus* can be used to control insects, see e.g. PCT/WO 98/08388 of MAFF, PCT/WO 97/17432 of WARF, and PCT/WO 99/42589 of Novartis. An effect against nematodes had not previously been demonstrated.

The symbiotic bacteria used in the present invention are isolatable from nematodes or the insects which the nematodes attack, and differ fundamentally in terms of life-style and activity from those soil bacteria such as *B. thuringiensis* or pseudomonads which have previously been suggested as being nematocidal.

Indeed, *prima facie*, it seems highly unlikely that nematode symbiotes might possess nematocidal activity. However, in the light of the present disclosure, a number of possible explanations for the observed activity can be tentatively proposed. Firstly, in order to protect a nutrient supply from a dead insect, the bacteria might produce anti-nematocides to prevent saprophytic nematodes gaining access. Alternatively, to become a symbiont, the bacterial strains may have once been pathogens of these nematodes and evolved towards a less hostile symbiotic relationship. The nematocidal activity may be an evolutionary throwback from the original pathogenic relationship, in which case it may be expected to be widely present amongst bacteria which have evolved in this way.

A first aspect of the present invention is the use of bacterial strains to control a target nematode, characterised in that in nature the bacterial strain is associated symbiotically with an entomopathogenic nematode.

As discussed in more detail below, the bacterial strains may be used in the methods of the present invention *per se*, or they may be used as a source of nematode control agent. The nematode control agent can be derived directly, or be prepared and utilised through recombinant DNA techniques, optionally via a host cell.

The target nematode will generally be different to the nematode with which the bacterial strain is found symbiotically in nature.

By means of the present invention employing bacteria or a nematode control agent, it becomes possible to control nematodes, in the sense of, to prevent or retard the effect that the nematode has on other organisms such as animals or more preferably plants, or to reduce the number of nematodes or nematode eggs in an area of interest, or to alleviate or cure a disease caused by nematodes. Control may be at the level of larval nematodes or nematode eggs, or may inhibit the motion, feeding or infectivity of adult nematodes. Nematocidal control may be employed to kill the nematode target. Such controlling activity can be assessed as shown in the Examples below.

#### PREFERRED EMBODIMENTS

The present invention provides a composition for the control of parasitic nematodes which comprises as an effective agent a species of bacteria which is a symbiont of an entomopathogenic nematode, or engineered bacteria having such activity, or a nematode control agent derived from natural or engineered bacteria.

Correspondingly, the present invention also provides a method of nematode control employing such a composition.

The bacterial species is typically of the genera *Xenorhabdus* or *Photorhabdus*, preferably the genus *Xenorhabdus*, for instance the species *Xenorhabdus bovienii*. Examples of particularly preferred bacteria include:

*Xenorhabdus bovienii* strain H31 deposited with NCIMB under accession number NCIMB 40985 on 20 January 1999;

*Xenorhabdus bovienii* strain I73 deposited with NCIMB under accession number NCIMB 40986 on 05 November 1998; and

*Xenorhabdus* strain C42 deposited with NCIMB under accession number NCIMB 41004 on 05 November 1998.

The nematode control agent can be a peptide derived from a symbiont of an entomopathogenic nematode or an engineered bacterium has functional activity against a nematode. The peptide nematode control agent can be produced from a nucleic acid derived from a symbiont of an entomopath nematode or an engineered bacterium and which encodes such a peptide. The peptide can be an oligopeptide or a polypeptide, notably a protein. In one version, the nematode control agent is a toxin with toxic activity against nematodes, but the nematode control agent can have other activity.

The nucleic acids of this invention can be employed in a method of producing a peptide comprising the step of causing or allowing the expression from a nucleic acid of this invention in a suitable host cell.

The nucleic acid can comprise a natural nucleotide sequence or a degeneratively equivalent sequence, and functional variants thereof. Variants include homologous variants encoding a peptide which is a nematode control agent, the nucleic acid having 70% or more DNA sequence identity and/or the peptide having 70% or more amino acid sequence identity. Especially preferred nucleic acids in p 13-1f and p 14-2f and variants thereof.

The present invention extends to nucleic acids having a sequence which is a derivative by way of addition, insertion, deletion or substitution of one or more nucleotides. The nucleic acid can contain longer expressed sequences such that the nematode control agent is expressed as a fusion protein.

Nucleic acids complementary to the nucleic acid encoding a nematode

control agent are also part of this invention.

Nucleic acids for use as a probe or primer having a nucleotide sequence of at least 15, 18, 21, 24 or 30 nucleotides, which sequence is present in, or complementary to, the nucleic acid encoding nematode control agent are further provided by this invention. In this respect, the invention extends to a method for identifying or cloning a nucleic acid for nematode control agent which method employs such a nucleic acid probe.

A method provided by this invention comprises the steps of:

- (a) providing a preparation of nucleic acid from a bacterium,
- (b) providing a probe,
- (c) contacting nucleic acid in said preparation with said probe under conditions for hybridisation of probe to any said gene or homologue in said preparation, and,
- (d) identifying said gene or homologue if present by its hybridisation with said probe.

The hybridisation conditions can be selected to allow the identification of sequences having 70% or more sequence identity with the probe.

In one embodiment, the method comprises use of two primers to amplify a nucleic acid encoding a nematode control agent, at least one of the primers having a conserved nucleotide sequence of at least 15 nucleotides.

A method is further made possible by this invention comprising the steps of:

- (a) providing a preparation of nucleic acid from a bacterium,
- (b) providing a pair of nucleic acid molecule primers, at least one of which is a primer,
- (c) contacting nucleic acid in said preparation with said primers under



conditions for performance of PCR,

(d) performing PCR and determining the presence of absence of an amplified PCR product.

Additionally, the invention provides a recombinant vector comprising a nucleic acid of this invention. The vector is preferably capable of replicating in a suitable host such as *E. coli* or in *Xenorhabdus*. The vector can be a baculovirus. In a preferred feature, the nucleic acid is operably linked to a promoter or other regulatory element for transcription in a host cell.

Vectors can further comprise any one or more of the following: a terminator sequence; a polyadenylation sequence; an enhancer sequence; a marker gene; a sequence encoding pesticidal material derived from *Bacillus thuringiensis*.

The vector can be a plant vector.

The vector of this invention can be introduced into a cell. Thus, a method for transforming a plant cell comprises the step of causing or allowing recombination between the vector and the plant cell genome to introduce the nucleic acid into the genome. The nucleic acid can be incorporated into chloroplast DNA, or into mitochondrial DNA.

Host cells comprising a vector are also part of this invention. The host cell can be a plant cell, which may be in a plant.

To this end, a method for producing a transgenic plant comprises the step of regenerating a plant from the transformed cell. In turn, plants of this invention extend to the progeny of such plants.

Examples of plants of this invention include crop species which can be

protected, notably maize, cotton, soya, rice, *Brassica* species, tomato, potato, sugar beet, barley, soybean, peanut, onion, rye, wheat, corn, banana, raspberry, bean. Decorative and other plants are also possible, e.g. rose.

A part of the propagule of the plants is also envisaged by this invention.

A method of influencing or affecting the toxicity of a cell such as a plant cell is provided where the method includes causing or allowing expression of a heterologous nucleic acid of this invention within the cells.

In a further aspect, the invention involves the use of a material selected from: an *X. bovienii* strain, a nematode control agent; a nucleic acid; a host cell; a plant; a peptide; or a composition of the invention, for the control of a pest, especially where the pest is a nematode and the material is used to control the nematode.

The present invention extends to control of helminthiasis in humans and other animals including domesticated animals such as swine, sheep, horses, cattle, goats, dogs, cats and poultry. The nematodes to be controlled include *Haemonchus*, *Trichostrongylus*, *Ostertagia*, *Nematodirus*, *Cooperia*, *Ascaris*, *Bunostomum*, *Oesophagosromuni*, *Chabertia*, *Trichuris*, *Strongylus*, *Trichonema*, *Dictyocaulus*, *Capillaria*, *Heterkis*, *Toxocara*, *Ascaridia*, *Oxyuris*, *Ancylostoma*, *Uncinaria*, *Toxascaris*, *Caenorhabditis* and *Parascaris*.

Target nematodes may be selected from the genera *Aphelenochoides*, *Anguina*, *Bursaphalenchus*, *Criconemella*, *Melodigyne*, *Ditylenchus*, *Globodera*, *Helicotylenchus*, *Heterodera*, *Pratylenchus*, *Radopholus*, *Rotelynchus*, *Tylenchus*, *Trichodorus*, *Xiphenema*, and *Caenorhabditis*.

The compositions of this invention can be used in conjunction with *Bacillus*

*thuringiensis* or pesticidal materials derived therefrom.

In a further aspect, there is provided an antibody or fragment thereof, or a polypeptide comprising the antigen-binding domain of the antibody, capable of specifically binding a peptide of this invention.

Such an antibody or fragment can be obtained by immunising a mammal with the peptide, and is useful in a method of identifying and/or isolating a nematode control agent comprising the step of screening candidate polypeptides with a polypeptide comprising the antigen-binding domain of the antibody of claim.

Some further aspects of preferred embodiments of the invention will now be discussed.

#### Bacterial strains

These can be derived from any entomopathogenic nematode. Preferred species are *Xenorhabdus* and *Photorhabdus*.

Potential sources of bacteria for use in the methods of the present invention may be identified by any preferred method. For instance, entomopathogenic nematodes can be isolated using an insect baiting technique such as that described by Bedding & Akhurst (1975) *Nematologia* 21: 215-227. Bacteria from nematodes identified as being pathogenic to the insect are isolated, cultured, and used as a source of nematocidal agent, e.g. by analogy with the methods used in the Examples below. Preferably *Xenorhabdus* or *Photorhabdus* species are used.

The preferred bacterial strains include ones which have the characteristics of

10

strain C42, I73 or H31 isolated by the present inventors. This *Xenorhabdus* strain has the following characteristics: rod shaped; motile; non-bio luminescent; blue on NBTA; produces antibiotics; resistant to ampicillin; forms circular colonies; has convex morphology; white colour.

This strain was presumptively identified as belonging to the genera *Xenorhabdus* since it was isolated from an insect killed by an entomopathogenic nematode and had the above characteristics. The strain has been deposited at the NCIMB (23 St Machar Drive, Aberdeen, AB24 3RY, Scotland) by the applicants under accession number NCIMB 41004 on 20 January 1999.

Further preferred strains of the present invention are two strains of *X. bovienii* designated H31 and I73 which have also been deposited under the terms of the Budapest Treaty at the NCIMB under the accession numbers NCIMB 40985 and 40986 respectively. These share characteristics of C42 in that they are rod-shaped; motile; non-bioluminescent; blue on NBTA; produce antibiotics; resistant to ampicillin; form circular colonies; and have convex morphology. The strains were identified as belonging to the species *X. bovienii* when compared to the *X. bovienii* type strain T228 using Restriction Analysis of the complete 16S rRNA gene and partial sequence analysis.

#### Target nematodes and diseases

The group of diseases described generally as helminthiasis is due to infection of an human or other animal host with parasitic worms known as helminths. Helminthiasis is a prevalent and serious economic problem in domesticated animals such as swine, sheep, horses, cattle, goats, dogs, cats and poultry. Among the helminths, the group of worms described as nematodes causes

widespread and often at times serious infection in various species of animals. The most common genera of nematodes infecting the animals referred to above are *Haemonchus*, *Trichostrongylus*, *Ostertagia*, *Nematodirus*, *Cooperia*, *Ascaris*, *Bunostomum*, *Oesophagostomum*, *Chabertia*, *Trichuris*, *Strongylus*, *Trichonema*, *Dictyocaulus*, *Capillaria*, *Heterakis*, *Toxocara*, *Ascaridia*, *Oxyuris*, *Ancylostoma*, *Uncinaria*, *Toxascaris*, *Caenorhabditis* and *Parascaris*. Certain of these, such as *Nematodirus*, *Cooperia*, and *Oesophagostomum*, attack primarily the intestinal tract, while others, such as *Dictyocaulus* are found in the lungs. Still other parasites may be located in other tissues and organs of the body.

The bacteria and encoded toxins of the invention may be used as nematocides for the control of the nematodes and diseases discussed above. More preferably, however, they are used to control soil and plant parasitic nematodes. Particular crop species which can be protected include tomatoes, potatoes, sugar beet, barley, soybean, peanut, onion, rye, wheat, corn, banana, raspberry, beans. Decorative and other plants may also be treated e.g. rose.

Target nematodes may be selected from the genera *Aphelenochoides*, *Anguina*, *Bursaphelenchus*, *Criconemella*, *Meloidogyne*, *Ditylenchus*, *Globodera*, *Helicotylenchus*, *Heterodera*, *Pratylenchus*, *Radopholus*, *Rotelynchus*, *Tylenchus*, *Trichodorus*, *Xiphenema*. A further organism used in certain of the Examples below is *Caenorhabditis elegans*. Other target organisms and plants are discussed by Agrios in "Plant Pathology - 3rd Ed" Pub Academic Press Inc, see Chapter 15 therein.

As stated above, the target nematode will generally be different to that with which the bacterial strain is found in nature.

### Methods of use of bacteria

The bacteria may be used in any appropriate method which brings them into contact with the target nematode, preferably such that they, or their products, are ingested or absorbed by the target nematode.

In particular, regarding plants, the bacteria may be formulated in a variety of ways so as to enhance stability. For instance they may be employed in admixture with substrates to protect the cells.

The mixture can be spread over, ploughed into or otherwise mixed with nematode infected or potentially infected soil.

Regarding animals, bacteria intended for enteric inoculation can be mixed with carrier material that is suitable for ingestion by the intended animals.

### Isolation of agent

Nematode control agents of the present invention, which may be proteinaceous, or nucleic acids encoding them, may be isolated and/or purified from the C42, I73 or H31 bacteria described above, in substantially pure or homogeneous form, or free or substantially free of other materials from the bacterial strain of origin. Where used herein, the term "isolated" encompasses all of these possibilities.

Methods of purifying proteins from heterogenous mixtures are well known in the art, e.g. selective precipitation, proteolysis, ultrafiltration with known molecular weight cut-off filters, ion-exchange chromatography, gel filtration, etc. A particularly useful initial technique in this regard is ultracentrifugation. Further methods which are known to be suitable for

protein purification are disclosed in "Methods in Enzymology Vol 182 - Guide to Protein Purification" Ed. M P Deutscher, Pub. Academic Press Inc. Other references which outline techniques commonly used by those of ordinary skill in the art include "Protein Purification - principles and practice" Pub. Springer-Verlag, New York Inc (1982), and by Harris & Angal (1989) "Protein purification methods - a practical approach " Pub. O.U.P. UK.

Nematocidal activity may be assessed using a spread assay as discussed below.

The C42, I73 or H31 agent may be wholly or partially synthetic. In particular they may be recombinantly produced from nucleic acid sequences which are not found together in nature (do not run contiguously) but which have been ligated or otherwise combined artificially.

For instance, in the Examples below, nucleic acid encoding toxin(s) from I73 has been expressed in hosts cells using a vector system. Amino acid sequences of 38 different putative I73 toxin(s) are set out in sequence Annex I. These sequences are based on the nucleic acid sequence set out in Fig 2 ('chrom5'), a cosmid clone derived from I73 genomic DNA which conferred nematocidal activity upon *E. coli* cells into which it was introduced (i.e. significantly reduced nematode larval growth and development, and feeding). As detailed below, the entire amino acid sequence as set out in each case may not be required for nematocidal activity. In particular the portion up to the first Met in each sequence may be omitted, as may other portions which may not contribute to the nematocidal activity. Thus, not all the proteins or genes may be required for nematocidal activity, and usually there will be one or more principal proteins, though others may play supporting roles such as in enhancing the activity or encoding other nematocidal activities.

Thus isolated nematocidal agents comprising a polypeptide containing all, or a nematocidal fragment, of any of the depicted I73 sequences, form one aspect of the present invention. Preferred agents include those encoded by p14-2f and p13-1f. Other active variants of these sequences are also encompassed as described below.

Candidate agents for use in this invention to control nematodes extend to those from the bacteria described in PCT/WO 99/22598, as well as the insecticidal toxins and bacteria of PCT/WO 99/42589, PCT/WO 98/08388 and PCT/WO 97/17432, the disclosures of which are incorporated by reference.

#### Nucleic acids and variants

In one aspect of the present invention there is provided a nucleic acid molecule encoding a nematode control agent of the present invention, for example a toxin, as described above.

The nucleic acid may be derived from the sequence shown in Fig 2 or the complement (or degenerate equivalent) thereof. This sequence (cHRIM5) was itself derived from I73 and identified by its unexpected nematocidal activity. Regions of this sequence believed to correspond to genes of the present invention are described in Fig 3. Isolated nucleic acids comprising one or more of these regions which encode a nematocidal activity are particularly preferred.

In the light of the present disclosure, further nucleic acids of the present invention may be isolated using PCR or southern blotting or other techniques well known to those skilled in the art. This requires the use of two primers to specifically amplify target nucleic acid, so preferably two



nucleic acid molecules with sequences characteristic of the C42, H31 or most preferably an I73 toxin isolated as above are employed. Using RACE PCR, only one such primer may be needed (see "PCR protocols; A Guide to Methods and Applications", Eds. Innis et al, Academic Press, New York, (1990)).

Thus a method involving use of PCR in obtaining nucleic acid according to the present invention may include:

- (a) providing a preparation of bacterial nucleic acid,
- (b) providing a pair of nucleic acid molecule primers suitable for PCR, at least one of said primers being a primer based on a toxin from C42, H31 or I73,
- (c) contacting nucleic acid in said preparation with said primers under conditions for performance of PCR,
- (d) performing PCR and determining the presence or absence of an amplified PCR product. The presence of an amplified PCR product may indicate identification of a variant.

In a further aspect of the present invention there are disclosed nucleic acids which are variants of the C42, I73 or H31 toxin. A variant nucleic acid molecule shares homology (or identity) with all or part of the C42, H31, or most preferably I73 sequence discussed above.

Preferably sequence comparisons are made using FASTA and FASTP (see Pearson & Lipman, 1988. Methods in Enzymology 183: 63-98). Parameters are set, using the default matrix blosum62, as follows:

Gapopen (penalty for the first residue in a gap): -12 for proteins / -16 for DNA

Gapext (penalty for additional residues in a gap): -2 for proteins / -4 for DNA

KTUP word length: 2 for proteins / 6 for DNA.

Homology (similarity or identity) may be at the nucleotide sequence and/or encoded amino acid sequence level. Preferably, the nucleic acid and/or amino acid sequence shares at least about 70%, 75%, 80%, or 85% homology, most preferably at least about 90%, 95%, 96%, 97%, 98% or 99% homology.

Another method for assessing homology at the nucleic acid level is by hybridization screening. One common formula for calculating the stringency conditions required to achieve hybridisation between nucleic acid molecules of a specified sequence homology is shown in Molecular Cloning: a Laboratory Manual: 2nd edition, Sambrook et al, 1989, Cold Spring Harbor Laboratory Press:

$$T_m = 81.5^{\circ}\text{C} + 16.6\text{Log} [\text{Na}^+] + 0.41 (\% \text{ G+C}) - 0.63 (\% \text{ formamide}) - 600/\text{\#bp}$$
in duplex

As an illustration of the above formula, using  $[\text{Na}^+] = [0.368]$  and 50-% formamide, with GC content of 42% and an average probe size of 200 bases, the  $T_m$  is  $57^{\circ}\text{C}$ . The  $T_m$  of a DNA duplex decreases by 1 -  $1.5^{\circ}\text{C}$  with every 1% decrease in homology. Thus, targets with greater than about 75% sequence identity would be observed using a hybridization temperature of  $42^{\circ}\text{C}$ . Such a sequence would be considered substantially homologous to the nucleic acid sequence of the present invention.

Variants of the present invention can be artificial nucleic acids.

Alternatively they may be novel, naturally occurring, nucleic acids, isolatable using the information disclosed herein. Thus a variant may be a distinctive part or fragment (however produced) corresponding to a portion of the C42, I73 or H31 toxin. The fragments may encode particular functional parts of the agent or they may be used for probing for, or amplifying, sequences corresponding to C42, I73 or H31 toxin. Sequence variants which occur naturally may include homologs of the C42, I73 or H31 toxin from other

In one aspect of the present invention, the nucleic acid encoding the nematode control agent is provided in the form of a recombinant and preferably replicable vector.

Generally speaking, those skilled in the art are well able to construct vectors and design protocols for recombinant gene expression. Suitable vectors can be chosen or constructed, containing appropriate regulatory sequences, including promoter sequences, terminator fragments, polyadenylation sequences, enhancer sequences, marker genes and other sequences as appropriate. For further details see, for example, Sambrook et al (1989) *supra*.

The permitted vectors include, *inter alia*, any plasmid, cosmid, phage or *Agrobacterium* binary vector in double or single stranded linear or circular form which may or may not be self transmissible or mobilizable, and which can transform a prokaryotic or eukaryotic host either by integration into the cellular genome or exist extrachromosomally, e.g. an autonomous replicating plasmid with an origin of replication. Illustratively integration can occur into chloroplast DNA or into mitochondrial DNA.

Preferably the nucleic acid in the vector is under the control of, and operably linked to, an appropriate optionally inducible promoter or other regulatory elements for transcription in a host cell such as a microbial, e.g. bacterial, yeast, filamentous fungal or plant cell. The vector may be a bi-functional expression vector which functions in multiple hosts. In the case of genomic DNA, this may contain its own promoter or other regulatory elements and in the case of cDNA this may be under the control of an appropriate promoter or other regulatory elements for expression in the host cell. The vectors and host cells into which they are introduced may be used to clone or otherwise

identify nucleic acids according to the invention.

The agent may be used as part of a viral vector which is itself pathogenic to nematodes.

Also of interest in the present context are nucleic acid constructs which operate as plant vectors. Specific procedures and vectors previously used with wide success upon plants are described by Guerineau and Mullineaux (1993) (Plant transformation and expression vectors. In: Plant Molecular Biology Labfax (Croy RRD ed) Oxford, BIOS Scientific Publishers, pp 121-148). Suitable vectors may include plant viral-derived vectors (see e.g. EP-A-194809). Suitable promoters which operate in plants include the Cauliflower Mosaic Virus 35S (CaMV 35S). Other examples are disclosed at page 120 of Lindsey & Jones (1989) "Plant Biotechnology in Agriculture" Pub. OU Press, Milton Keynes, UK.

#### Host cells

The toxin genes or gene fragments encoding the nematocidal agents of the subject invention may be introduced into a host cell, microbial, animal or plant. Expression of the toxin gene in the host cell results, directly or indirectly, in the intracellular production and maintenance of the nematocide.

Thus the present invention also provides methods comprising introduction of such a construct into a plant cell or a microbial cell and/or induction of expression of a construct within a cell, by application of a suitable stimulus e.g. an effective exogenous inducer.

Hosts may be used to assay the activity of particular sequences or

fragments. Hosts can also be used to generate quantities of toxin which can be employed in situ in suitable treated cells, or alternatively with suitable hosts, e.g., *Pseudomonas* viable microbes can be applied to the sites of nematodes where they will proliferate and where they or their products can be ingested by the nematodes. Higher organisms, preferably plants, can also be engineered with the toxin. The result in each case is a control of the nematodes. A host may be selected that can tolerate harsh environmental conditions and then grow when they improve, as illustrated by *Bacillus* species where the spores can exist under environmental extremes.

Characteristics of interest for use as a nematocide microcapsule i.e. a vehicle for the active agent include protective qualities for the nematocide, such as thick cell walls, pigmentation, and intracellular packaging or formation of inclusion bodies; leaf affinity; lack of mammalian toxicity; attractiveness to nematodes for ingestion; ease of killing and fixing without damage to the toxin; and the like.

#### Treated host cells

Where the cell is treated, the cell will usually be intact and be substantially proliferative form when treated, rather than in a spore form, although in some instances spores may be employed. Treatment of the microbial cell, e.g. a microbe containing the bacterial toxin gene or gene fragment, can be by chemical or physical means, or by a combination of chemical and/or physical means, so long as the technique does not deleteriously affect the properties of the toxin, nor diminish the cellular capability in protecting the toxin.

#### Viable hosts

Where the toxin gene or gene fragment is introduced via a suitable vector into a microbial host, and said host is applied to the environment in a living state, it is preferable that microorganism hosts are selected which are known to occupy the phytosphere (phylloplane, phyllosphere, rhizosphere, and/or rhizoplane) of one or more crops of interest. These microorganisms are selected so as to be capable of successfully competing in the particular environment (crop and other insect habitats) with the wild-type microorganisms, provide for stable maintenance and expression of the gene expressing the polypeptide pesticide, and, desirably, provide for improved protection of the nematocide from environmental degradation and inactivation.

A large number of microorganisms are known to inhabit the phylloplane (the surface of the plant leaves) and/or the rhizosphere (the soil surrounding plant roots) of a wide variety of important crops. These microorganisms include bacteria, algae, and fungi. Of particular interest are microorganisms, such as bacteria, e.g., genera *Pseudomonas*, *Erwinia*, *Serratia*, *Klebsiella*, *Xanthomonas*, *Streptomyces*, *Rhizobium*, *Rhodopseudomonas*, *Methylophilus*, *Agrobacterium*, *Acetobacter*, *Lactobacillus*, *Arthrobacter*, *Azotobacter*, *Leuconosroc*, and *Alcaligenes*; fungi, particularly yeast, e.g., genera *Saccharomyces*, *Cryptococcus*, *Kluyveromyces*, *Sporobolomyces*, *Rhodororula*, and *Aureobasidium*.

#### Plants as hosts

Nucleic acid encoding the nematocides of the present invention can be introduced into plant cells using any suitable technology, such as a disarmed Ti-plasmid vector carried by *Agrobacterium* exploiting its natural gene transfer ability (EP-A-270355, EP-A-0116718, NAR 12(22) 8711 - 87215 1984), particle or microprojectile bombardment (US 5100792, EP-A-444882,

EP-A-434616) microinjection (WO 92/09696, WO 94/00583, EP 331083, EP 175966, Green et al. (1987) *Plant Tissue and Cell Culture*, Academic Press), electroporation (EP 290395, WO 8706614 Gelvin Debeyser) other forms of direct DNA uptake (DE 4005152, WO 9012096, US 4684611), liposome mediated DNA uptake (e.g. Freeman et al. *Plant Cell Physiol.* 29: 1353 (1984)), or the vortexing method (e.g. Kindle, *PNAS U.S.A.* 87: 1228 (1990d)). Physical methods for the transformation of plant cells are reviewed in Oard, 1991, *Biotech. Adv.* 9: 1-11.

*Agrobacterium* transformation is widely used by those skilled in the art to transform dicotyledonous species. It has also been used with filamentous fungi (see de Groot et al, 1998, *Nature Biotechnology* 16: 839-842).

Recently, there has also been substantial progress towards the routine production of stable, fertile transgenic plants in almost all economically relevant monocot plants (see e.g. Hiei et al. (1994) *The Plant Journal* 6, 271-282)). Microprojectile bombardment, electroporation and direct DNA uptake are preferred where *Agrobacterium* alone is inefficient or ineffective.

Alternatively, a combination of different techniques may be employed to enhance the efficiency of the transformation process, e.g. bombardment with *Agrobacterium* coated microparticles (EP-A-486234) or microprojectile bombardment to induce wounding followed by co-cultivation with *Agrobacterium* (EP-A-486233).

Generally speaking, following transformation, a plant may be regenerated, e.g. from single cells, callus tissue or leaf discs, as is standard in the art. Almost any plant can be entirely regenerated from cells, tissues and organs of the plant. Available techniques are reviewed in Vasil et al., *Cell Culture and Somatic Cell Genetics of Plants*, Vol I, II and III, *Laboratory Procedures and Their Applications*, Academic Press, 1984, and Weissbach and

Weissbach, Methods for Plant Molecular Biology, Academic Press, 1989.

The generation of fertile transgenic plants has been achieved in the cereals rice, maize, wheat, oat, and barley (reviewed in Shimamoto, K. (1994) Current Opinion in Biotechnology 5, 158-162.; Vasil, et al. (1992) Bio/Technology 10, 667-674; Vain et al., 1995, Biotechnology Advances 13 (4): 653-671; Vasil, 1996, Nature Biotechnology 14 page 702).

#### Combination nematocides

In further embodiments of the invention, bacteria associated with entomopathogenic nematodes or the toxins or products discussed above are used in conjunction with other nematocidal bacteria such as *B. thuringiensis* strains (e.g. from WO 92/19739) or pesticidal materials derived therefrom.

#### Materials for use in the present invention

The present invention also embraces materials for use in the methods above. These materials include the novel bacterial strains which are associated symbiotically with an entomopathogenic nematode and which are capable of controlling a target nematode. In particular the invention encompasses strain C42, I73 or H31 in isolated or substantially isolated form, or strains having the characteristics of C42, I73 or H31 (including nematocidal activity assessed as below).

Also embraced are compositions and formulations of these bacteria. These may comprise or consist of wettable powders, granules or dusts, mixed with various inert materials, such as inorganic minerals (phyllosilicates, carbonates, sulfates, phosphates, methylcellulose, xanthan gum and the like) or botanical materials (powdered corncobs, rice hulls, walnut shells,



peat moss, vermiculite, soil, seeds, other plant tissue and the like). The formulations may include spreader-sticker adjuvants, stabilizing agents or surfactants. Liquid formulations may be aqueous-based or non-aqueous and employed as foams, gels, suspensions, emulsifiable concentrates, or the like. The ingredients may include rheological agents, surfactants, emulsifiers, dispersants, or polymers.

Bacteria may be mixed with other material while in freeze-dried form, encapsulated in biodegradable or water-soluble material, or otherwise treated to prolong their viability or decrease their levels of metabolic activity during handling. If desired, the carrier material may contain assimilable nutrient sources to support proliferation of the bacteria.

Also included are purified or substantially purified nematocidal agents (particularly proteinaceous agents) isolated or isolatable from the strains or host cells discussed above.

Thus the invention further discloses nematocidal compositions comprising one or more agents as described above. Such compositions preferably further comprise other nematocidal materials from other *Xenorhabdus* species or non-*Xenorhabdus* species. These other materials may be chosen such as to have complementary properties to the agents described above, or act synergistically with it.

Toxins of the invention for use with animals can be adapted to be administered orally in a unit dosage form such as a capsule, bolus or tablet, or as a liquid drench when used as an anthelmintic in mammals, and in the soil to control plant nematodes. The drench is normally a solution, suspension or dispersion of the active ingredient, usually in water, together with a suspending agent such as bentonite and a wetting agent or like

excipient. Generally, the drenches also contain an antifoaming agent. Drench formulations generally contain from about 0.001 to 0.5% by weight of the active compound. Preferred drench formulations may contain from 0.01 to 0.1% by weight, the capsules and boluses comprise the active ingredient admixed with a carrier vehicle such as starch, talc, magnesium stearate, or dicalcium phosphate. Where it is desired to administer the toxin compounds in a dry, solid unit dosage form, capsules, boluses or tablets containing the desired amount of active compound usually are employed. These dosage forms are prepared by intimately and uniformly mixing the active ingredient with suitable finely divided diluents, fillers, disintegrating agents and/or binders such as starch, lactose, talc, magnesium stearate, vegetable gums and the like. Such unit dosage formulations may be varied widely with respect to their total weight and content of the antiparasitic agent, depending upon the factors such as the type of host animal to be treated, the severity and type of infection and the weight of the host.

When the active compound is to be administered via an animal feedstuff, it is intimately dispersed in the feed or used as a top dressing or in the form of pellets which may then be added to the finished feed or, optionally, fed separately. Preferably, a carrier for feed administration is one that is, or may be, an ingredient of the animal ration. Suitable compositions include feed premixes or supplements in which the active ingredient is present in relatively large amounts and which are suitable for direct feeding to the animal or for addition to the feed either directly or after an intermediate dilution or blending step. Typical carriers or diluents suitable for such compositions include, for example, distillers' dried grains, corn meal, citrus meal, fermentation residues, ground oyster shells, wheat shorts, molasses solubles, corn cob meal, edible bean mill feed, soya grits, crushed limestone and the like.

Alternatively, the antiparasitic compounds may be administered to animals parenterally, for example, by intraluminal, intramuscular, intratracheal, or subcutaneous injection, in which event the active ingredient is dissolved or dispersed in a liquid carrier vehicle. For parenteral administration, the active material is suitably admixed with an acceptable vehicle, preferably of the vegetable oil variety, such as peanut oil, cotton seed oil and the like. Other parenteral vehicles, such as organic preparations using solketal, glycerol, formal and aqueous parenteral formulations, are also used. The active compound or compounds are dissolved or suspended in the parenteral formulation for administration; such formulations generally contain from 0.005 to 5% by weight of the active compound.

Further aspects of the invention include nucleic acids, vectors and host cells containing a heterologous construct according to the present invention, especially a plant or a microbial cell.

Such microbial cells may be treated as described in the methods above. Examples of chemical reagents are halogenating agents. Other suitable techniques include treatment with aldehydes, such as formaldehyde and glutaraldehyde; anti-infectives, such as zephiran chloride and cetylpyridinium chloride; alcohols, such as isopropyl and ethanol; various histologic fixatives, such as Bouin's fixative and Helly's fixative (See: Humason, Gretchen L., Animal Tissue Techniques, W.H. Freeman and Company, 1967); or a combination of physical (heat) and chemical agents that preserve and prolong the activity of the toxin produced in the cell when the cell is administered to the host animal. The method of inactivation or killing retains at least a substantial portion of the bio-availability or bioactivity of the nematode control agent.

In all of the compositions discussed above, the nematocide concentration may vary widely depending upon the nature of the particular formulation, particularly whether it is a concentrate or to be used directly. The nematocide will be present in at least 1% by weight and may be 100% by weight. The dry formulations will have from about 1-95% by weight of the nematocide while the liquid formulations will generally be from about 16% by weight of the solids in the liquid phase. The formulations will generally have from about  $10^2$  to about  $10^{10}$  cells/mg, more preferably  $10^7$  to about  $10^9$  cells/mg. These formulations will be administered at about 50 mg (liquid or dry) to 1 kg or more per hectare. The formulations can be applied to the environment of the nematodes, e.g., plants, soil or water, by spraying, dusting, sprinkling, or the like.

In addition to the above the invention includes plant cells which have been transformed with the genes of the present invention, and plants which include such plant cells.

#### EXAMPLES OF THE INVENTION

The invention will now be further described with reference to the following non-limiting Figures and Examples. Other embodiments of the invention will occur to those skilled in the art in the light of these.

#### FIGURES

Fig 1 shows the cHRIM5 cosmid vector and subclones used for sequencing, as described in Example 6.

Fig 2 shows the sequence of cHRIM5 (1-37544 bps).

Fig 3 shows the position and orientation of ORFs in the cHRIM5 sequence.

Fig 4 shows deletions of cHRIM5 tested for nematocidal activity.

Fig 5 illustrates cloning of nematocidal activity in PLEX.

#### Example 1 - Source of strains C42, I73 and H31

Strain C42 was obtained using an insect entrapment method. Insects which were killed on the surface of a soil sample were observed under a microscope at high magnification. Any that contained high numbers of bacteria and not fungal hyphae were presumed to have been killed by insect parasitic nematodes. The identified presence of nematodes also aids this identification step, but it is not essential. These samples were plated on to NBTA media (see Poinar & Thomas, 1984 Nematodes p238-280 in "Laboratory guide to insect pathogens and parasites" Eds. Poiner & Thomas, Pub. Plenum Press, New York). Any colonies that developed that had characteristic features (e.g. morphology, size, colour) of *Xenorhabdus* or *Photorhabdus* strains were selected. Non-luminescent colonies were presumptively identified as *Xenorhabdus*. The identity of those having nematocidal activity as assessed in Example 3, is further confirmed using 16s rRNA sequence data (see Brunel et al 1997, Applied and Environmental Microbiology 63,2: 574-580).

I73 and H31 strains were obtained in a similar way to strain C42 but they were identified as belonging to the species *X. bovienii* when compared to the *X. bovienii* type strain T228 using Restriction Analysis of the complete 16S

rRNA gene (see Brunel et al, 1997 Applied and Environmental Microbiology: 574-580), and partial 16s ribosomal RNA sequence analysis.

#### Example 2 - Cell growth and preservation

Subcultures of the *Xenorhabdus* species C42, I73 and H31 were used to inoculate three 9 cm diameter petri dishes containing L agar (10g tryptone, 5 g Yeast Extract, 5 g NaCl and 15 g agar per lt). Plates were incubated for 48 hrs at 26°C and the resulting growth harvested by scraping off bacterial cells and thoroughly resuspending in 40 mls of 5% w/v lactose. The cells were washed once by centrifugation (5000 x g for 10 mins), resuspended in 10 mls of 5% w/v lactose, dispensed into 1 ml aliquots and freeze dried (-60°C for 48 hrs ) for medium term storage at 2°C. Other stocks were re-suspended in nutrient broth containing 10% w/v glycerol (Protect) and frozen at -70°C.

#### Example 3- Activity of cells against *Caenorhabditis elegans*

The bioassays were performed by allowing *C. elegans* to feed on live bacterial cell suspensions spread over the surface of Luria broth agar (Luria broth containing 1.2%w/v agar) in segmented square petri dishes (2.0 x 2.0 cm per test well). A minimum of three test wells, each containing 50-100 nematodes were used for each test. Mortalities were recorded after 3 days at 18°C.

*C. elegans* was cultured on *Escherichia coli* at 18°C on 9 cm diameter LB agar plates. Once the nematodes had colonised the complete plate they were re-subbed on a fresh plate to maintain stocks and the remainder re-suspended in 40 ml LB. The tube was allowed to stand for 15 min and the nematodes settled to the bottom. The concentrated nematodes were removed using a

sterile pipette and placed in 40 mls of fresh LB. The process was repeated 5 more times to wash the nematodes away from the *E. coli* cells. The nematodes were then diluted so that approximately 50 nematodes were present in 50 µl of LB.

The *Xenorhabdus* cells used were cultured in LB at 30°C/100 rpm for 24 hours and 50 µl spread on to the surface of each test well. The control *E. coli* cells were treated in a similar way but incubated at 37°C for growth. After application the wells were air dried for 30 min, and 50 µl of the nematode suspension placed in each well. Again the wells were air dried for 30 min. Plates were incubated at 18°C with 80% relative humidity for 3 days.

*Xenorhabdus* spp. C42, H31 and I73 gave 95% mortality, as compared with no significant effect for certain other *Xenorhabdus* bacterial strains and *E. coli*. Thus these results clearly show that cells from *Xenorhabdus* C42, H31 and I73 are an effective nematocide.

#### Example 4 - Cloning of nematode active gene from I73

Total DNA was isolated from I73 using a Quiagen genomic DNA purification kit (cat no. 10243). To isolate DNA, cells were grown in Luria broth (10g tryptone, 5g yeast and 5g NaCl per lt) at 26°C with shaking at 200 rpm to an optical density of 1.5 A600. Cells were harvested by centrifugation at 4000 x g and the DNA isolated using Quiagen 100/G tips, as per manufacturer's instructions. The purified DNA was stored at -20°C in TE buffer (10 mM Tris, 1 mM EDTA, pH 8.0).

To obtain a representative I73 library, total DNA was partially digested with *Sau3A*. Approximately 25 µg of DNA was incubated at 37°C with 0.25 units

of enzyme. At intervals of 5, 15, 30, 45 and 60 minutes, samples were removed and heated at 65°C for 10 minutes. To determine the size of the resulting DNA fragments, the samples were separated on a 0.5% (w/v) agarose gel. The samples containing a dominant DNA fragment size of between 30 and 50 Kb were combined and treated with shrimp alkaline phosphatase (Boehringer) for 20 minutes at 37°C. The DNA was ligated into the *Bam*HI site of the Stratagene cosmid vector Supercos1 (scos) and packaged into the *Escherichia coli* strain XL Blue 1, using a Gigapack II packaging kit (Stratagene) following the manufacturer's instructions.

To identify individual cosmid clones with activity to *C. elegans*, single colonies were grown in individual wells of segmented square petri dishes on Luria agar, containing 50 µg/ml ampicillin at 30°C for 24 hours. To each well, approximately 50, mainly L4 and adult *C. elegans* larvae were added in 50 µl of Luria broth. The dishes were incubated at 18°C and examined after 6 days for nematode development.

A total of 600 clones were examined and one coded cHRIM5 was found, which caused significant reduction in larval numbers, with no live L4 and adult larvae observed compared to on average, greater than 40 in all other clones tested.

#### Example 5 - Activity of cHRIM5, C42, H31 and I73 against *C. elegans*

Clone cHRIM5 was grown in 50 mls LB containing 50 µg of ampicillin per ml at 30°C/200 rpm for 40 hours. C42, H31 and I73 were grown in 50 mls LB at 26°C for 48 hours/200 rpm. Cultures were centrifuged at 4000 x g for 10 minutes, washed once and resuspended in 5 mls of PBS (0.05 mM phosphate buffer, 0.125M NaCl). To determine activity, 300 µl of cells were added in triplicate, to 1.2 ml of PBS containing 25, mainly L4 and adult *C.*



*elegans* larvae in multi well square dishes. As a control, an equivalent amount of XL 1 Blue *E. coli* cells containing Supercos 1 were used to determine nematode survival. The assays were incubated at 18 °C for 7 days before approximate nematode counts and observations were made.

#### Activity of cells on *C. elegans*

Cell line	No. and size of larvae/square	Cell turbidity
XL 1 Blue/Supercos 1	>100 (all stages)	Clear
XL 1 Blue/cHRIM5	<20(mainly small, L1,2 &3)	Cloudy
C42	<10	Cloudy
H31	<10	Cloudy
I73	<10	Cloudy

Thus cHRIM5, C42, H31 and I73 all gave a reduction in nematode numbers, and in particular cHRIM5 cells significantly reduced larval growth and development. All four strains caused a reduction in feeding (as indicated by the cloudy cell suspensions).

#### Example 6 - DNA and protein sequences

Plasmid and cosmid DNA for cloning was prepared using the QIAGEN midi system (tip 100, cat. No 12143). Cells were grown in Luria broth (Merck) at 37°C with shaking at 200 rpm for 18 hours. Cells were harvested by centrifugation at 6,000 x g and the DNA isolated as per manufacturers instructions. Restriction digestion (Roche, Life Technologies), dephosphorylation (Roche) and ligation (Life Technologies) were carried out using manufacturer's recommended conditions and as outlined by Sambrook et al. Transformation was accomplished using electrocompetant cells and a

BIO-RAD Gene pulser set at 12.5V cm<sup>-2</sup>. Two µl of DNA was used to electroporate 80 µl of early log phase *E. coli* DH5 alpha cells washed 3 times in sterile water (centrifugation at 6000 x g for 5 mins) and resuspended in 1/100th the original volume in 10% (v/v) glycerol. Luria agar containing either kanamycin or ampicillin at 50 µg ml<sup>-1</sup> were used to select clones where appropriate.

DNA sequence analysis of cHRIM5 was completed by sequencing a number of sub clones and primer walking, see figure 1 for the supercos vector, where the numbers are kBp. The sub clones used are as follows:

code	cHRIM5 treatment	vector used or remaining
A-380	<i>Hind</i> III digestion and self-ligation	deleted scos
B-387	<i>Bam</i> HI digestion and self-ligation	pUC 19- <i>Bam</i> HI digestion
C-381	<i>Sal</i> I- <i>Bam</i> HI digestion	scos
E-391	<i>Sal</i> I- <i>Bam</i> HI digestion	pUC 19- <i>Sal</i> I <i>Bam</i> HI digestion
F-392	<i>Sal</i> I- <i>Bam</i> HI digestion	pUC 19- <i>Sal</i> I <i>Bam</i> HI digestion

Sub clone A-380 was constructed by digesting cHRIM5 DNA with the restriction enzyme *Hind*III and re-ligating fragments, this clone contains a deletion of the insert and scos cosmid DNA as the vector. Sub clone B-387 is a *Bam*HI digestion of cHRIM5 cloned into the plasmid pUC19 also cut with *Bam*HI and dephosphorylated. Sub clone C-381 was obtained by digesting cHRIM5 DNA with *Bam*HI and re-ligating the fragments, this clone contains the scos cosmid as the vector. Clones E-391 and F-392 were obtained by cutting cHRIM5 DNA with *Sal*I and *Bam*HI and ligating these fragments into the vector pUC19 also cut with these enzymes.

Sequencing was conducted using the artificial transposon AT2 (supplied by Perkin-Elmer-Applied Biosystems, Primer Island Transposition kit, cat No.

403015) using the cosmid cHRIM5 and all sub-clones as target DNA. One  $\mu\text{g}$  of cHRIM5 DNA was incubated with the transposon AT2 for 1 hour at  $30^\circ\text{C}$  in a final volume of  $20\ \mu\text{l}$ . After incubation the reaction was stopped by adding  $5\ \mu\text{l}$  of  $0.25\text{M}$  EDTA,  $1\%$  (w/v) SDS, and heat treatment at  $65^\circ\text{C}$  for 30 mins. The DNA was desalted by dialysis against water. One  $\mu\text{l}$  of the reaction mix was used to electroporate  $80\ \mu\text{l}$  of early log phase *E. coli* DH5 alpha cells. Colonies were selected on LB media containing  $50\ \mu\text{g/ml}$  trimethoprim. Once inserted the transposon mutants were used to provide a range of positions of primer sites at random intervals throughout the clones. The two primers PI+ and PI- near the end of the transposon were used to generate sequence data. In addition standard primers for the pUC19 and scos vectors were used to generate sequence data at the ends of each clone. DNA for sequencing was prepared using the QIAGEN ion exchange media (qiawell8, cat. No. 17122). Clones were grown in  $1\ \text{ml}$  of Luria broth containing trimethoprim ( $50\ \mu\text{g ml}^{-1}$ ) for 18 hours. Cells were centrifuged at  $13,000 \times g$  for 5 mins and resuspended in  $350\ \mu\text{l}$  of buffer P1. After 5 mins  $350\ \mu\text{l}$  of buffer P2 was added and the samples incubated for 5 mins at room temperature. To this  $350\ \mu\text{l}$  of buffer P3 was added and the samples left on ice for 15 mins. After centrifugation at  $13,000 \times g$  for 15 mins the samples were loaded on the Qiagen column under vacuum, and washed with buffer QC. DNA was eluted with buffer QF ( $500\ \mu\text{l}$ ) at  $50^\circ\text{C}$  and isopropanol precipitated ( $0.8\ \text{vol}$ ). After centrifugation at  $13,000 \times g$  for 30 min, DNA was washed with  $70\%$  (v/v) ethanol and air dried for 10 mins. The final pellet was resuspended in  $10\ \mu\text{l}$  of water. Cycle sequencing reactions using the Perkin-Elmer Applied Biosystems division Big Dye reaction kit (cat No. 4303149) were prepared using standard conditions for plasmid and cosmid sequencing. Samples were analysed on ABI Automated Sequencers. DNA sequences were assembled using the DNA\* software. The complete sequence of cHRIM5 was obtained by primer walking to join the final DNA contigs together. The final sequence of cHRIM5ed2 is shown

in Figure 2. Analysis of the DNA using the software Clone indicated a number of ORF illustrated in Figure 3 and 4. Corresponding protein sequences are also presented at Annex I.

#### Example 7 - Fragments that encode nematocidal activity

To identify smaller fragments that encoded nematocidal activity, a series of sub-cloning experiments were performed using *E. coli* DH5 alpha. Qiagen midi and miniprep methods, restriction and ligations were used as for previous examples. Nematicidal activity of all constructs was determined as described in Example 4. In Figure 4, we show the deletions of cHRIM5 tested for nematocidal activity. Restriction sites and genes are indicated. Size in base pairs indicated on the map line. A cHRIM5, B cHRIM6, C cHRIM7, D cHRIM8, E cHRIM8, F cHRIM10, G *NdeI* deletion of cHRIM8, H Approximate positions (arrows) of three AT2 transposon insertions (tn58, tn26, tn43) in cHRIM9.

The cosmid cHRIM5 (figure 4A) was digested with the enzyme *SaII* and religated. The resulting sub clone cHRIM6, illustrated in Figure 4B showed nematocidal activity. cHRIM6 was digested with the enzyme *SmaI* and religated, producing sub-clone cHRIM7 (Figure 4C). cHRIM7 was digested with *BglII* and the kanamycin resistance gene block (*nptII*, Pharmacia) cut with *BamHI* was ligated into it. After selection on LB containing kanamycin (50µg ml<sup>-1</sup>) and ampicillin (50µg ml<sup>-1</sup>) the clone was digested with *SaII* and religated, in effect creating a deletion from the *SaII* site to the *BglII* site of cHRIM6 to generate cHRIM8 (figure 4D). By cutting cHRIM8 with *NruI* a further deletion was made to create cHRIM10 (figure 4F). All the above clones maintained nematocidal activity.

Deletion of cHRIM8 with *NdeI*, removed a portion of the p14-2f gene (figure

4G), this reduced nematocidal activity. This indicates that the p14-2f gene or protein are important for nematocidal activity. Transposon mutagenesis of cHRIM9 (a clone very similar to cHRIM7 but deleted with *NarI* rather than *SmaI*) with the artificial transposon AT2 (Perkin Elmer Applied Biosystems) resulted in a number of inserts within this clone (figure 4H). Insert cHRIM9-tn43 was restriction mapped to an approximate position of bp 20,700 (on cHRIM5) within the p20-9r gene, this mutant retained nematocidal activity. This indicates that this gene is not essential for activity. Insert cHRIM9-tn58 mapped to an approximate position of bp 13,400 (on cHRIM5), within the p13-1f gene, nematocidal activity was reduced. This indicates that this gene, region of DNA or the blocking effect of the transposon in this position is important for activity. Insert cHRIM9-tn26 was restriction mapped to approximate position of bp 15,000 (on cHRIM5) within the p14-2f gene, nematocidal activity was reduced. This indicates that this gene, region of DNA or the blocking effect of the transposon in this position is important for activity.

Clone cHRIM6-tn43 was digested with *BglII* and *NotI* and cloned into the vector PLEX (Invitrogen cat. No. K450-01) cut with *BamHI* and *NotI*. The *E. coli* strain used was GI742 supplied by Invitrogen. The resulting plasmid insert (PLEX-*BglII*/tn43, Figure 5) places the p14-2f and p13-1f genes under the control of the bacteriophage Lambda  $P_L$  promoter. Figure 5 illustrates the cloning of DNA encoding nematocidal activity in the expression vector PLEX, where: A, plasmid clone; B, insert and gene locations; Tpr, trimethoprim resistance; Apr, ampicillin resistance;  $P_L$ , bacteriophage lambda  $P_L$  promoter; \*, plasmid joins to form a circular molecule; \*\*, incomplete genes. Selection of colonies on RMG media (described in the Invitrogen manual) containing ampicillin ( $50 \mu\text{g ml}^{-1}$ ) and trimethoprim ( $50 \mu\text{g ml}^{-1}$ ) prevents expression from the  $P_L$  promoter. Colonies were then cultured on LB containing Trimethoprim ( $50 \mu\text{g ml}^{-1}$ ) in  $2.0 \text{ cm}^2$  wells for

nematocidal tests. The clone was active. This indicates that genes within this fragment have nematocidal activity. The clone PLEX-*Bgl*II/tn43 was digested with *Cl*al and religated, this resulted in a deletion of part of the p13-1f gene, this clone had reduced nematocidal activity indicating the importance of this gene.

All these results indicate that the genes and gene products of p13-1f and p14-2f are important for nematocidal activity. Other smaller genes within the *Bgl*II to *Nru*I sites of cHRIM10 and PLEX-*Bgl*II/tn43 may also be essential. In addition genes outside this region within the remaining cosmid clone (cHRIM5) may also encode products with nematocidal activity, or may enhance the nematocidal activity of genes in the smaller region (*Bgl*II-*Nru*I of cHRIM10 and PLEX-*Bgl*II/tn43).

#### Example 8 - Field trials

Activity of strains selected in accordance with the above methods, or from depositary institutions which include bacteria which in nature are associated symbiotically with entomopathogenic nematodes, may be further assessed in field trials as follows.

Symbiotic bacteria in the absence of their nematode host can be inoculated into one or more portions of a field which is infested with nematodes, or into containers containing unsterilised soil from such a field. The bacteria can be inoculated onto the roots of plants, or into seeds. Periodically treated and untreated areas or containers can be assayed for nematode larva, egg, or cyst counts and for the presence of the inoculated bacteria by methods well known to those skilled in the art. A reduction in the number of nematode counts in areas in which the symbiote bacteria are present indicates control of the nematodes otherwise found in the untreated areas or samples.

## Annex I - amino acid sequences

SEQ ID NO:1

P0-0f

ISWFATGIPTVDALLAEFWHGDKQAFPPFTCRFTHFDPDKEQDVTLPSTEEAYWLHRA  
LQGQPLHSEVYGDDGTAQAGIPYTVMSRPQVRLLTGLPGNSPTVWPSVIEQRTWQYERI  
ADDPQCHQQVVLNSDRYGFPRETVDIAYPRRPKPAVSPYPDTLPATLFDSSYDEQQQQLR  
LTRQRQHYHHLTDTEHQVLGLPDVMRSDAWGYPAARVPREGFTLEDLLAENSLIAPGTPL  
TYLGHQRVAYTGTGTGTEEKPTRQALVAYTETAVFDELALQAFNGTLSPEALEKKLIESGY  
LSVPRPFNTGAESAVWVARQGYTDYGGSEAFYRPLAQRTTVQIGKNTLHWDTHYCAVVRM  
QDAAGLYTDAAYDYRFLTPVQITDANDNQQHITLTALGQVSSGRFWGTEEGTPQGYTPPE  
DRPFTPPSSVAEALDKPDLPVANCMVYAPLSWMPLAHTYQEYIAGFTWQALLDAGVVTE  
DKRVCALGFRWRVQRQGIVLNGQALADSREPVHVLTLATDRYDTPDQQLRKSVTYSDFG  
GRLLQSAVYHAPGEAWQRAADGSLITDAKGAPLVAHTATRWAVSGRTEYDGKGQPVRTYP  
PFFLNAWQYLSDDSARQDLNADTHRYDPLGREYQVRTAKGYLRQNRLTPWFVFNEDENDT  
LS

SEQ ID NO:2

P1-2r

YLPQRGQCMLLVVIGIGYLNGGQEAIVIIGGIRVQTRRILHTDDRTVMGIPMEGVFANLH  
RRPLSQRTVKRLRPAVIGISLTGDPDRRFRGTGIEWAWNRRQITRLD

SEQ ID NO:3

P2-0f

SHLPARYGGRLTTLSRKGFMTVNRGDNLHQKTPEVTVLNDRGLTVRELRYHRHPNTPPTT  
DERITRHRFTLSGQLAHSIDPRLFDLQQTONTVNPNNIYDTALTGEVVRTRSVDAAGNDLI  
LNDITGRPVLAinateVTRTWQYENDTLPRPLSITEQPAGEAGRITERFVWAGNSQAEK  
NSNLAGQCVRHYDTAGLNQTDLSIALNGIPLSVTRQLLPDGTADWQGNNEPAWNDRLAPE  
NFTTLSTADATGAVLTITDAAGNLQRVAYDVAGLLTGSWLRLAGGTEQVIVKSLTYSAG  
QKLREEHNGNVVTTYTYEPETQRLVGIKTRPQGHAGTKVLQDLRYEYDPVGNVVKVTN  
DAEVTRFWRNQKVPENTYVYDSLYQLVSATGREMANIVQSTLLPTPSLIDSSTYSNYS  
RTYNYDRGDNLTQIRHSAPATGNSYTTDITVSDHSNRAVLDTLTDDPAKVDALFTAGGHQ  
IPLQPGQNLVWTPRGELLKVAPVVRDQGISDQESYRYDAASQRIIKTHVQQTANSSQAQS  
TLYLPGLERHTTINGTTVKEVLHVITIGEAGRAQVRVLHWENGKPGAISNNQMRYSYDNL  
IGSSGLEVDGQGQIISMEEYYPYGGTAVWTARSQTEADYKTVRYSGKERDATGLYYYGYR  
YYQPWAGSWLSADPAGTIDGLNLYRMVRNNPATLDDKNGLAPGNRYVFFPFIHEDRIERL  
ASANVYRTEHNKSDIIAIVEDKALDSKLFNTSIEQFFKKPKGKAILKGSPDIKERLLNNI  
VHDLNMQVGQQLYVNAHGHSAPFFYSDSGYSKIIMEQLQRGANYVAKDLVNKFKLPEN  
ATIKISTCHSAEGKGAHITVTSTGTNEKMRYSSIIENKGEFSRSLAGTMENELIKLQPGR

39

VRGNVYGYLGATTIFYGAKNEKVIHLKDGNLTTGVHEGKLSMFTKKNRFSENIFGLKVKRS  
LTRTNFTGSGV

SEQ ID NO: 4

p-2-9r

PAAEYVRDFTITCSVPPASRSQLPVSRPATSYATRCRLPAASVVVSTAPVASAVLRVVKF  
SGASRSFQAGSLFPCQSASVPSGSSWRVTDSGMPLSAILSVWFSPAVS

SEQ ID NO: 5

P3-2r

QRALLNDIGHFAPGGTDQLIQAVIDIGVLRHHFLVAPEAGNLRIVRHFHHVPHRVVLIQA  
VLQHLRPLCMLWAFGYANKALGLRLVGVGHHAVAVLFAQFLTRGGIRQGFHDNLLCP  
ARKPQPTASQQACYVIRHTLQVTGRIGGGQYRAGGIRRAQGGEVFRCQPVPVPGGFIVSLP  
VCVRTIRQQLARDGQRYAVKRNTVRLVQSGGVIVTHALSGQVAVLLRLTVPCPKTLCDT  
ACFASRLFCENTERASG

SEQ ID NO: 6

P3-6r

SDRRQTGYAYSADHYRISGRSTVCTVRAGLMNYQCWLQHAATQLSESDSPKRDAEILLGY  
VTGRSRTYLIADFDETLISSEELHQLDSLVRRIQGEVPVAYIIGEREFWSLPFAVSPATLI  
PRPDTECLVEKALELLPDSPARILDLTGTGAIALALASERNDCYVTGVDINSDAVMLAQ  
HNAEKNAGKLAIHNVNFLQSEWFAAVGNQQFDMIVSNPPYIDERDPHLQEGDIRFEPATA  
LIAAQNGMADLQAIVGQARHFLSPNGWLLLEHGWKQGTVVRNLFLEKGYQQIATFQDYGG  
NERITIGRWKNKETHS

SEQ ID NO: 7

P3-7f

ARRAVRRCGYCTGRTESRVPSVTTRCATAMITLSAAAVWRWTVTDKLSVWKNTRTGALR  
CGRRGVRQRLITRLCVTQARSGMQRGCIITATGITSRGRGAG

SEQ ID NO: 8

P5-6r

WQNGGSSSTTPRYLAGCYVWYPCSA RL SGN AKSLLAPDGEWMKHTLKSASGNTFTGRLI  
PTGRPTVVTIDKSGANTAALTLLNAEGEPQQGIEIRQNKYLNNRIEQDHRHVKKRIRPML  
GFKSFRAQT

SEQ ID NO: 9



40

P5-7r

ALLFLSESRVMSLIRNAFKLLHYPDIMAQCVRWSLTIALSLRNLEEMMAKRGI FVDHAT  
IPRWVLRRLVPLLSKAFRKRKKPVGSRWRMDETYIKVKGQWKYLYRSVDTDGQTD CGDYR

SEQ ID NO:10

P6-3f

VHSPSGAVAPGKFFIENFADTFPAPLPLHPFIDACIQQGQQLLPCLIAIAHSGKQAFECV  
LLDRLALQGSQCLQALVLPVGDVNGQTAHGFLIGYTQTHISTYNGLWLFITQGVRYRFV  
RQTFVCRSLSFSEDDCTN

SEQ ID NO:11

P6-3r

RTCRRERPRLMDYVLTAAEADLRAIIRHTRKQWGDAQVRRYITALEQGIARLAVGQGSFK  
DMSALFPALMAHCERHYVFCLPRENAPALIVAI FHERMDLLTRLADRLK

SEQ ID NO:12

P6-6r

PQTIICANVGLCITDKEKTMSRLTIDITDRQHQS LKALAALQGKTIKQYALERLFPMSD  
SDQAWQELKALLDTRINEGMEGKGCGKSIGEILDEELAGSDRA

SEQ ID NO:13

P7-1f

NAHFLIVSKTNVMSNQDPHNKRDSLFSAPIANLGDWSFDERVAEVFPDMVKRSIPGYSN  
IISMIGMLASRFVTPGSQIYDLGCSLGAATLSIRRSINADNCRIIAIDNSPAMIERCRRH  
IDSEKASTPVEVIEQNILDTIQNASMVVNLFTLQFLHPDDRQKILKKIYAGLKPGGVLV  
LSEKFN FEDQKIGELLFNMHHDFKRANGYSELEVSQKRSMLENVMRTDSVDTHKSRLKEV  
GFQHVEVWFQCFNFGSLLAIKGTEQ

SEQ ID NO:14

P7-9f

TMIDFGNFYQLIAKHPLNHWLDSLPAQLSHWQKTSQHGGQFSSWVKILENLPEIKPSHLDL  
KNGVIAIHEPDL SKGEKARLHNILKILMPWRKGPFSLYDVEIDTEWRSDWKWERVLPHIS  
PLEGKTVLDVGCSSGYHMRMVGEQAQLVVGIDPTQLFLCQFEAIRKLLGNNQRAHLLPL  
GIEQLPELQAFDTVFSMGVLYHRRSPLDHLWQLKNQLVSDGELVLES LVEG DENQCLIP  
GERYAQMRNVYFIPSAKMLKVWLEKCGFVDVRIVDHAATTPDEQRRTEWMKTESLVDFLD  
PSDHSKTIEGY PAPLRAVLIARKP

41

SEQ ID NO:15

P8-4r

SLQIDREKVGLD RYPQPIERLRQPCATCDNHCHSRHQVRFFLLKEYGAALAPISSQSAI  
RYQFQRHTMKG LFMASIFSGYCGGELFHLLTDPAHESQ

SEQ ID NO:16

P9-8r

SSFRLNDDLLTNSYSEGFLMIKLEICCYSSISCALVAQNAGADRIELSASPLEGGLTPSFG  
ALQQSLQRLSIPVHPIVRPRGGDFCYNNMDFEAMKNDVARIRDMGFPGIVFGILSENGHI  
DRLRMRLMSLSGNMAVTFHRAFD MCFNPHVALEQLTELGVQRILTSGQQQNAELGLTLL  
KELMQASRGPIIMPGAGVRVSNISKFLEAGMTEVHSSAGKIVPSTMKYRKVGVMSSDDR  
DVDEYSHYSVDGELVESMKGVM SLIKR

SEQ ID NO:17

P10-5r

YFGKNRRFVIYVTL MERNFYGLFNGEEMSHFSKISELQDLVADLAGFEQKLKQFEGHLGL  
HFEQYSADHISLR CNESKIADRWRKGFLQCGQLISESI INGRPICLFDLNQPIVLLDWKI  
DCVELPYPSQKH YVHQWEHVELVPVPPEQLICEAKKLLPQPLPDNFRMKESH PKGKNE  
RLPNPILAV

SEQ ID NO:18

P10-7f

GNTVNIQVILSEKISNALIEAGAPT DSEAHVRQSAKAQFGDYQANGVMAAAKKVGIPPRQ  
LAEKVVSQDLQGIASKVEIAGPGFINIFLDKAWVAANIETTLKDEKLGITPVEPQTIVI  
DYSAPNVAKQMHVGH LRSTIIGDAAARTLEFLGHKVIRANHVGDWGTQFGMLIAYLEKIQ  
NENANDMALADLEAFYREAKKHYDEDEEFAIRARNYVVKLQGGDEYCRKMWRKLV DITMS  
QNQETYNRLNVTLTEKDVMGESLYNDMLPGIVADLKQRGIAVKSDGATVVYLDEFKNKEG  
EPMGVIIQKKDGGYLYTTT DIACAKYRHETLNASRVLYYIDSRQHQLMQAWAIVRKTGY  
IPESMSLEHHMFGMMLGKD GPKFKTRAGGTVRLSDLLDEAIERADTLIREKNPDMPEDEL  
KKVVEAVGIGAVKYADLSKSR TTDYVFDWNMLAFEGNTAPYMQYAYTRVSSIFKRADID  
ENSLTLPVMLNEEREQALATRL LQFEETITTVAREGTPHVMCAYLYDLAGLFSGFYEHCP  
ILNADSEELRQSR LKALLTAKTLKQGLDTLGIQTVERM

SEQ ID NO:19

P11-1r

AQVSNMHL LGDIRCGIIDNDGLRFHWGDT ELFIFQGSFYICCNPRFIKKNIDKTWACNFN  
FAGNSLQIQ LADDFFCQLSRRYSHLFSGSHHTIRLIVTKLCFGRLTDV SFTVGWSASFNQ  
RIADFF

SEQ ID NO:20

P12-1r

HARVGVLHIRCRVAFKGQHIIIPVENIVCSTALGKICIFHRANPYRFHDFQFVFWHIWVF  
LTNEGIRTLNRFIQQIGQSYCAAGTGFWEFTIFAQHHAKHVFE

SEQ ID NO:21

P12-5r

YHASFQLCRLLHTFYSLNTQSIKTLQSFRCQQSQLQAALAQFFAIGIQDRAVLITRE  
QTGQIVQVCTHNMWRTFTGDGSDRFFKLQQAGCQCLLAFFIQHHRQCQAVFIDIRTFKDR

SEQ ID NO:22

P13-1f

FTLREDSMSDWTGVSTFNVILETGLDNCNIYANGLNMIGVIINITPTDDEGNFVDIDDDVT  
LNDNIKIVDYIDGSDIDGSDGWFTGNPNEYNTIPNSQSYSLKSENSQITQIKRYVSCS  
NTSRLRTKSFSAKVTTTSGKVISITQNSINSSRVVINAI DATNFTDDELRTTKETRFENQ  
SYTSHKSSNSTSLYVHTWTIPRSLKLQNRWEDYNNGWTWAQSCYYKTGADGGSESTRWLA  
AGSIFPPGNYDGLWLDNDIALSGMAHKSYNVDGTGINQLSFTRIIGKGSWVYNISGLDRG  
HAVIIIDQYGNKYRILFHAGYENS DPYLS SSI VY

SEQ ID NO:23

P14-2f

VYIKFLKLFRRITMSDNNEFFTQANNFTSAVSGGVDPRGTGLYNIQITLGHIVGNGNLGPT  
LPLTLSYSPLNKTDIGFGIGFNGLSVYDRKNSLLSLSTGENYKVIETDKTVKLQKKLD  
NLRFEKDLKENCYRIIHKSGDIEVLTGFNNNAFDLKVPKLLNPAGHAIYIDWNFEATQP  
RLNRIYDDLDGHDIPLLNEYQGLIKITLTLFPGQKEGYRTELRLNRQLNSIHNFSLGN  
ENPLTWSFGYTPIGKNGILGQWITSMTAPGGLKETVNYSNNNQGHHPQSANLPVLPYVT  
LMKQVPAGQPAIQAEYSYTSYSHNYVGGGNGIWNKLDNLYGLMTEYNYGSTESRRYKDK  
EGHDQIVRIERTYNNYHLLTSECKQONGYIQTETAYYAIIGHNFDSPSQFQLPKTKTE  
TWRADNSYRSEITETTFDESGNPLTKVIKDKKTQKIISPSTHWEYPPAGEVDNCPPEP  
YGFTFRVKKIIQTPYDSEFKDDPEKFIQYRSLIGSQSHVTLKIEERHYSATQLLNSTLF  
QYNTDKSELGRLLKQTECTKGENGKTYSVVHKFTYTKQDDTLQQSHSITTHDNFTIHRSQ  
VRSRYTGRLFSDDTDKDIVTQMSYDKLGRLLTRTLNSGTPYANTLTIDYELNNLQDDNRP  
PFVITTTDVNGNQLRNEFDGAGRHSQCLKDSGDGKFYTIHTQQYDEQGRHHTSTYSYD  
LTNGRQQTDPDKVHLSMSKSYDNWGQIANTHWSYGVSEKITVDPI TLTATKQLQSNSNNV  
QTGKEVTTYTPSQQPIQITLFEAGHLQSCHTLTRDGWDRVRKETDAIGQCTIYQYDNYN  
RVIQITLPGDITVNRKYAPFSTDTLITDIRVNGISLGQQTFDGLSRLTQSQDGGRVWAYT  
YSAGNDQCPSTVITPDGQFIHYQYQPELDDAVLQVASNEITQQFSYNPVTGALLKAVAEG  
QSLTPIIYYPGRLKMNENINDMKMSYLWTLRGLNGYTDLTGTIQKISRDTHGRVTQIKD

43

SSIKTTLNYYDDLNRHIGSQVTDLATGHMLTTTVEFDGLNREIGRKLCDSSGHTLDIQQSW  
LKTQQLANRIVKLNGLVLRTEQYSYDSRNRLNQYKCDGAECPTDKYGHISIVTQNFTYDIY  
GNITACHTTFADGTEDHATFKFANPTDPCQLTEVHHHTPDMPDNIRLKYDKAGRVINITD  
NHGNTENFTYDTLGRQLONGQGSVYGYDPLNRLVSQKTDTLDCELYRETMLVNEVRNGEM  
IRLLRTGETIIAQORASKVLLTGTDSQQSVILTSKQNLSEAYSAYGKHKSTANDASIL  
GYNGERADPVSGVTHLNGYRSYDPTLMRFHTPDSLSPFGAGGINPYSYCLGDPINRSDP  
SGHLSWQAWTGIGMGIAGLLLTIIATGGMAIAAAGGIAAAIASTSTTALAFGALSVTSDIT  
SIVSGALEDASPKASSILGWVSMGMGAAGLAESAIGGKTKLATHLGAFAEDGENALLKST  
SESSRIKWGVTSLDREIVRNEEGQVIKDHSGYTDNFMGKGEQAILVHGDKDGFYHTE  
GNKHNGKGPYTRHTPEQLVDYLKDNINIVDLTQGGDKPVHLLSCYKSSGAADKMAKYINR  
PVIAYSNKPTISQGLARIERKDFFLKSTYHSYDPRKIILGRTEKTVKPKTFRP

SEQ ID NO:24

P17-6r

LCYGHICLSGIPHRHIYIGSTYYGNRKSTVLYAAILHSVSLFYLLIAVFSASSAGYLTYG  
LSYHTISVQFLGLSHQIPLLLSTYDQSLNLLLDYQYGDGSHRNLE

SEQ ID NO:25

P17-8r

SAQCIVGKVFRISMVISDIYYSTSLIIFQPDIIIRHIWMSVVYLCQLAWVSWVGKFECSMV  
FCPICECGVTGGDIAIDIISKILCDYAMAFVCRFRFTVTFILVQPITGIVRVLFCTLQY  
SIQFHYISIC

SEQ ID NO:26

P18-7r

PSSLRTISLSKLLVTPHFILELSEVDLSKAFSPSSANAPRCVASLVPPLMADSANPAAPI  
PIETHPSIEDAFGEASSAPLTIDVISDVTLAPNASAVVEVEAIAAAIIPAAIAIIPV  
AMVSSNPAIPMPVHACQLK

SEQ ID NO:27

P19-5f

AHCHIALFPCWHNPQYCCQHPDHHSNCHHQFKQEYPPSRQRRENITLTQLPIKHTGIEAG  
SQTNRKRQTCMFQRANESKVHQLGQNGQRDRNFYWCFDILT

SEQ ID NO:28

P19-8f

PQSTPSSQNSRQLTPAESSQHQQKQSDHIEIMIPSEAPREYREQLHKATPARNRDVAPNP  
SVFDILRDYHWKNFSPVKAAKSSLTPHPVHQKAIPLNDQRNTSMKQSLKPEMRQKLY

SEQ ID NO:29

P20-1r

GKNCINDQGNLPDRYTQNCRPHLTDNPPYGTVTERNPRQYQHADLFQMRKLIGQLQNP SG  
NNGPTQRQHWRIAIRSHKQCKNDHTDIEQCRSKSRHRKAVPCIKNCASQRSQRNQKDIRK  
RNSK

SEQ ID NO:30

P20-9r

NNTMNLKSLAAVSSMTMFSRVLGFIRD AIIARIFGAGMATDAFFVAFKLPNLLRRIFAE  
GAFSQAFVPILA EYKNQQGDEATR TFIAYISGMLTLILAIVSVIGVIAAPWIIYVTAPGF  
TDTDPKFVLRD LRLRITFPYIFLISLASLAGAILNTWNRFSVPAPAPTLLNVSMIIFALF  
VAPYCNPPVLALGWAVVAGGVQLAYQLPHLKKIGMLVLPRI SFRDSAVWRVIRQMGP AI  
LGVSVGQISLIINTIFASFLVSGSVSWMYADRLMELPSGVLGVALGTILLPSLAKSFSS  
GNHEEYRKLM DWGLRCLFLLALPCAV ALGILAEPLTVSLFQYGHFSAFDAEMTORAL IAY  
CFGLMGLIVVKVLAPGFYSRQDIKTPVKIAIATLILTQLMNLAFVGPLKHAGLALSIGLA  
ACFNASMLYWQLRKRDIFTPLAGWGIFL FKL VVAIAVMVGVL LAVLWVMPAWEQGNMAMR  
LLRLMGVVIAGAGSYFAVLALMGFRLKDFAHRLGQ

SEQ ID NO:31

P21-7r

AIILIRDKLSRIFSRQISGEGMFGYRSASPKIRFITDRMVVRLVYERDAYRLAEYYSENK  
DFLKPWEPTRDGSFYQPSGWTNRLNYIAELQRQNATFNFVLLDSDEREIMGVANFTNVVR  
GAFHSCYLGYS LAEKLQGGMLMYEALQPAIRYMORYQRMHRIMANYMPHNHRSGNLLKKL  
GFEQEGYAKNYLMIDGVWQDHVLTALTDDAWGKVGL

SEQ ID NO:32

P21-8f

WCAMSLVSQARSLGKYFLLFDNLLVVLGFFVVFPLISIRFVEQLGWAALIVGFALGLRQL  
VQQGLGIFGGAIADRF GAKPMIVTGMLLRALGFALMAMAHEPWILLSCVLSGLGGTLFD  
PPRAALVIKLT RPHERGRFYSILMMQDSAGAVVGALIGSWLLQYDFNIVCWIGASIFVLA  
ALFNAWLLPAYRISTIRTPIKEGMMRVIRD RFLYYVLTLTGYFVLSVQVMLMFPIIHE  
ITGTPTAVKWMYAIETAISLTLLYPIARWSEKHFRLEQRLMAGLFLMSICMFPIGWVNQL  
HTFLGLLCLFYLGLVTADPARETLSASLSDPRARGSYMGFSRLGLALGGAIGYTGGGWLY  
DTGRDLNMPQLPWILLGLSGLITIYALHRQFNQKKIDPVMLGRH

SEQ ID NO:33

P23-1f

45

KGANMKRFFLGAALVLVGLVSGCDQFKDFSINEGLMNDYLLKKVHYQKKISIPGIANANI  
TLGDLSSQIGRQDPEKIELSTQAKVQLATLLGTIQADMKLTIKAKPVFDAEKGAIFVKGL  
EIVDYQTTPEKAAAPVKALIPYLNTSLSEFFDTHPVYVLNPEKSKAEAAASQFAKRLEIK  
PGKLVIGLTDK

SEQ ID NO: 34

P24-4r

QVALQHGRRLGTITLFDNLLGLNQVMNEFSIVCRILGTLFNRPQDPVLQPLITMIAEGK  
LKQAWPLEQDEWLDRLQQNSELSVMAADYHALFTGESASVAVCRSDYTDGEESEVRQFLT  
ERGMPLSDTPADQFGSLLAVSWLEDQAAEDEIQAQITLFDYLLPWCQGQFLGKVEAHAT  
SGFYRTLAVTREALQALRDELESE

SEQ ID NO: 35

P25-3r

DCMNIIFHPSFNTDEWIQGIQARLPDAKVRQWVSGDQEPADYALVWQPPYEMLANRQGL  
KGIFALGAGVDAIFKQESKNPGTLLADVPLIRLEDTGMRQMQEYAITSVLHYFRMDEY  
KRYQEQRLWNPIAPHNRKEFVIGVLGAGILGRSVIGKLMFEFDFNVRCWSRTSKQLDSVES  
FYGKEQLGDFLSGCKVLINLLPDTPTDTRGILNLSLFSQLKSGSYVINLARGAQLVEQDLL  
VAIDKGYIAGATLDVFAEEPLSNMHPFWTHPRINVTPHIAANTIPAAAMDVICENIRRMV  
QGEMPTGLVDRVRGY

SEQ ID NO: 36

P26-0f

KTSQGFTSTTCNNGNVLKICGLITPCSSLIQRTYPNNMTIGIFSKESTAKNFGMGFLYYF  
DLRVLSPPFKAPINIFTGWQHTNFRKSRNSTIRLCSSTPNSKQYFTTSRKCHITGAGKY  
RFSIENCFIKSG

SEQ ID NO: 37

P27-0r

YSAGCSTVLKSSLNLQCDTFNCESFVMLTLNFTSVNAKPSHIWAHYVDFDLRKKWEVDL  
EYFQFEGEVKTGQYGRMILSGMPEIRFYLSNIEVNKEFTDQVNLPMGILTRHQIITDE  
NNMACRVQVTVSFEPDANIPAVQAESFFKQGTQDLVESVLRKSVVETVSPKPNLQLVYV  
SDIESSTAFYKTI FNAEPI FASSRYVAFPAGGEVLFAIWSGGAKPDRAIPRFSEIGIMLP  
SGKDVDRCFEERKNPEIKIVQEPHTEVFGRTFLAEDPDGHIIRVCPLD

SEQ ID NO: 38

P27-8r

KGNQITMILYKGSKNYLFNQLNYDSCVLLLEVDES VN LNWDELSRAQRLLFLMEILRRYH

46

FPVQGVLAQKLNISLRTLYRDIASLQAQGAIIEGEPGIGYVLRPGFVLPPLMFTQNEIE  
 ALALGANWVAKRADPQLKESANNAISKIAAVIPAELKQMLEASSLLIGPAATAVQPVVEI  
 QQIRQAINTRHKITLAYLDIKDIPSSERTIWPFFALGYFENISIVIGWCELREEFRHFRSDR  
 IMRLKIENQCYPERSRQVLLKEWRAMEKISR

SEQ ID NO:39

P27-9f

RKMTIYDLKPRFQNLRLPIVIYLYKQGITANQVTLTALFLSIFAGSLLSLFSPHLYWLL  
 PVFLFIRMALNAIDGMLAREHNQKSHLGAINYELGDVISDVALYLPFCLLPDVNSLSLLI  
 ILFLTILTEFIGVLAQTIGASRRYDGPICKSDRAFIYGAYGLIIAIFPLALGWSISLFAF  
 MIILLLVTCYQRVVKALREIRLAEQSHSK

SEQ ID NO:40

P28-5f

GVNMTPLDQRIAEHYFTTSDNASLFYRYWPQQANPDRAIIIFHRGHEHSGRIQHVV  
 GLDLPDVPMFAWDARGHGKTEGPRGYSPMGTSSIRDVDEFVRFIATQYGIAMENIVVIGQ  
 SVGAVLVSAWVHDYAPKIRAMILAAPAFDIKLYIPFATQGLQMQKARGIFFVNSYVKAR  
 YLTHDETRIASYNSDPLITREIAVNILLDLYQTAERVVKDAAAITLPTLLFISGSDYVVN  
 KKPQHOFYQQLNTPIKEKHVMDGFYHDTLGEKDRHLVFDKIRVFIERIFALPRYQHDYSQ  
 EDTWHSASDEFRTLSTSLPCLCPKLSYQLMRKVMSTHWGRTSEGVCIGLKTGFDSGSTL  
 DYVYRNQPQKGILGRILDKHYLNSIGWRGIRQRKIHIEMLI RHAI RSLREQNMPVHMVD  
 IAAGHGRYILDAINDFSKVDSILLRDYSEINVNQQA YIEERDLTDKIRFIIGDAFNAES  
 ISSITPAPTGLIVSGLYELFPDNNLLRNSLRGFADVMTENGYLVYTGPWHPQIEVIARV  
 LSSHRDSQPWIMRRRTQGEMDALVEAGFEKLYQLTDNNGIFTVSIKRVHR

SEQ ID NO:41

P28-5bf

HHNSINVLLKNIISPHQIMLLCFTVTGHNNRPIQTERSLFFTVMSTQDVSSMSLTDSIC  
 LMFLCSRGMFVDTVRQKGRAVTAHPWERRFVMLMNLSDLLPLSTASPWKISWLSARVSE  
 Y

SEQ ID NO:42

P30-3f

INKYKMEHHMHSSLDSSRRRLWLTGVIWLLFLAPFFFLTYQVQNQFTAQRSDVGTVMFGWE  
 HNIPFWSWSIIPYWSIDLFGISLFICTHRREQWLHGWRMTASLIACVGFLFLPKFSF  
 SRPTTEGLFGWLFNQLELFDLPYNQAPSLHIILLWLLWLRYSAYVSGYWRGLLHIWSVLI  
 ALSVLTTWQHFFIDVLTGFAVGIVLSYLLPVSYRWRWQPNQDRYARKLFGYYLTGSALFA  
 LIASLLGGSFWILLWPAVSLLMIALGYAGLGSSVFQKQPDGRMSLSARWLLAPYQLGAWL  
 SYLWFRRKSAFNNHITEGIIILGSLPCQPVTAHSVLDITAEWHRRSDARTVNYVCQPQIDL

47

LPLAPEALQSAVCTLDKLRQQGDVVFVHCTLGLSRSAMVVAWLLKQHPEYDINTVVAILR  
KARPHVTFRQTHLDALSQWAKGYL

SEQ ID NO: 43

P31-6f

QSCVKPDRMSRSDKHIWMPCLNGQKATYNGEHNMQPENLISKVIIATLKSURFISTLSAF  
SILIATAMLIASFNTTALNNIALYAVLLFTTLYCQYYCWRTWLDCHYFQILNSSPEKSAE  
FDQTLILLIFNKLPQSRTQNDRFNGAIKLLKKATIGLILQWILFFLLTLKYSA

SEQ ID NO: 44

P32-3f

MNTRKINGIRPFSAFIDSCLESYSFPRFIRDIIAGITVGVIAPLALAMALIGSGVAPQY  
GLYTAAIAGIVIAMTGGSRYSVSGPTAAFVILYPVSQQFGLSGLLIATLMSGVILIVMG  
LARFGRLEIYIPMSVTLGFTSGIAITIAMQVQNFGLKLAHIPENYIDKVVALYQALPS  
LQLSDTLIGLTTLLVLIFWPKLGVKLPGLPALIAGTAVMGAMHLLNHDVATIGSSFSYT  
LADGTQGGQIPILPQFVLPWNLPDTHSLDISWNTVSALLPAAFSMAMLGAIESLLCAVI  
LDGMTGKKHHSNGELLGQGLGNIAAPFFGGITATAAIARSAANVRAGATSPIAAVVHSL  
VLLTLLVLAPMLSYPLAAMSAILLIVAWNMEAHKVVDLIRHAPKDDIIVMLLCLSLTV  
LFDMVRRDHYRHCAGITPVYAQNCQYDSNQHVIFNKRGERVIGRTN

SEQ ID NO: 45

P33-4r

ESIGAKTSNVNNTSRECTTAAIGEVAPARTLAAERAIAAVAVMPPKKGAAILPNPWPSSS  
PLEWCFFPVIPSRTAHSNDSIAPSMAIENAAGSNADTVFQLISRECVSGKFHGRTNWGR  
MGGMP

SEQ ID NO: 46

P33-5f

LSYSIWSVAITIGIVLASLLFMRKIANMTRISTSSLTSAEKGLLVVRINGPLFFAAAERI  
FAELREKSADYQTIIMQWDAVPVLDAGGLHAFQGFVRELGKEKHIVVCDIPFQPLKTLAR  
AKVMPIEGELSFYATLPKALKEMAVDYTEVCASSEKIQQQ

SEQ ID NO: 47

P34-3f

CMSDVENDRRTLGSLLDTEAQHVNHQIVITKVAATVTQDHLVIAAFFEFFNNIAHLPR  
NKLWFFNINHSTGFRHRFNQIGLAGKEGWKLNHHIRDWLSLCRLMHVSDNFHAEGLFQ  
FLKDFHPLFQWPPTIRADRRVSLIKRRFKNIRNAQFLCHGDIVLTNPHGQIP



48

SEQ ID NO:48

P35-0r

LSCIRFIFLLIQIYLPLTREGISMQQKVVNIGDIKVANDLPFVLFGGMNVLESRDLMR  
ICEHYVTVTQKLGIPYVFKASFDKANRSSIRSYPGLEEGMKIFQELKQTFGVKIITDV  
HEPAQAQPVADVVDVIQLPAFLARQTDLVEAMAKTGAVINVKKPQFVSPGQMGNIVEKEFK  
EGGNDQVILCDRGSNFGYDNLVVDMLGFGVMQQATQGAPVIFDVTHALQCRDPLGAASGG  
RRAQVAELARAGMAVGIAGLFLEAHPDPENAKCDGPSALPLAKLESFLMQIKAIDDVVKN  
FPELDTSK

SEQ ID NO:49

P35-8r

VDGIKMKPIVNYEFNNTPLIDGIILVSKIIRPDFPQTLVSEQLTALVEEARQRLSSITDS  
KVKLDSLLTLFYREWKFGGANGVYCLSDTLWLDRLLSRQGSFVSLGTVFTHIAQALGLS  
VQPVIFPIQLILRIDLLDQPTWFINPLNGDTLNEHTLDVWLKGNIGPTVRLKKQDLQEAD  
NVSLVRKITDTIKVSLMEEKKMELALKASEVVLTFFDPPDPEIRDRGLIYAQLDCNHIAV  
SDLSYFVEHCPEDPISEMIKMQINTIEQRLIVLH

SEQ ID NO:50

P36-7r

SDRRQTGYAYSADHYRISGRSTVCTVRAGLMNYQCWLQHAATQLSESDSPKRDAEILLGY  
VTGRSRTYLIADFDETLISSEELHQLDSSLVRRIQGEPVAYIIGEREFWSLPFAVSPATLI  
PRPDTECLVEKALELLPDSPARILDGTGTGAIALALASERNDCYVTGVDINSDAVMLAQ  
HNAEKNAGKLAIHNVNFLQSEWFAAVGNQQFDMIVSNPPYIDERDPHLQEGDIRFEPATA  
LIAAQNGMADLQAIVGQARHFLSPNGWLLLEHGWKQGTVVRNLFLEKGYQQIATFQDYGG  
NERITIGRWKNKNETHS

SEQ ID NO:51

P37-5r

VEMREMAQEELKEAKIRNEELEQQQLQLLLLPKDPDDERNCFLEVRAGTGGDEAAIFAGDL  
FRMYSRYAEARRWRVEIISANEHEGGYKEVIAKVSQDQVYGHKLFESGGHRVQRPETE  
SQGRIHTSACTVAVMPEIPEAELPDISPGLKIDTFRSSGAGGQHVNTTDSAIRITHLPT  
GIVVECDERSQHKNKAKAMSVLAARIRAAEMRKRQVEASERRNLLSGDRSDRNRTYN  
FPQGRVTDHRINLTLYRLDEVIEGKLDMLIQPIIIEYQADQLSALSEQD

## Claims:

1. The use of a bacterial strain to control a target nematode, characterised in that in nature the bacterial strain is associated symbiotically with an entomopathogenic nematode.
2. The use according to claim 1, wherein the bacterial strain from nature is directly employed to control the nematode target, or is employed to give a recombinant bacterium employed to control the nematode target, or the natural or recombinant strain is employed as a source of a nematode control agent to control the nematode target.
3. The use according to claim 1 or 2, wherein the target nematode is not the same as the nematode with which the bacterial strain is found symbiotically in nature.
4. The use according to claim 1, 2 or 3, for control of helminthiasis in a human or a domesticated animal or the control of plant pathogen nematodes.
5. The use according to any preceding claim wherein the nematode to be controlled comprises one or more of *Haemonchus*, *Trichostrongylus*, *Ostertagia*, *Nematodirus*, *Cooperia*, *Ascaris*, *Bunostomum*, *Oesophagosromuni*, *Chabertia*, *Trichuris*, *Strongylus*, *Trichonema*, *Dictyocaulus*, *Capillaria*, *Heterkis*, *Toxocara*, *Ascaridia*, *Oxyuris*, *Ancylostoma*, *Uncinaria*, *Toxascaris*, *Parascaris*, *Aphelenochoides*, *Anguina*, *Bursaphalenchus*, *Criconemella*, *Melodigyne*, *Ditylenchus*, *Globodera*, *Heliocotylenchus*, *Heterodera*, *Pratylenchus*, *Radopholus*, *Rotelynychus*, *Tylenchus*, *Trichodorus*, *Xiphenema*, and *Caenorhabditis*.

6. A composition for the control of parasitic nematodes which comprises as an effective agent a species of bacterium which is a symbiont of an entomopathogenic nematode, or an engineered bacterium, or a nematode control agent derived from a natural or engineered bacterium.
7. A composition according to claim 6, wherein the bacterial species is of the genera *Xenorhabdus* or *Photorhabdus*,
8. A composition according to claim 7, wherein the bacterial species is of the genus *Xenorhabdus*
9. A composition according to claim 8, wherein the bacterial species is of , the species *Xenorhabdus bovienii*.
10. A composition according to claim 8, wherein the bacterial species is:  
*Xenorhabdus bovienii* strain H31 deposited with NCIMB under accession number NCIMB 40985;  
*Xenorhabdus bovienii* strain I73 deposited with NCIMB under accession number NCIMB 40986; and  
*Xenorhabdus* strain C42 deposited with NCIMB under accession number NCIMB 41004.
11. A composition according to any of claim 6, wherein the nematode control agent which is derived from a symbiont of an entomopathogenic nematode or from an engineered bacterium has functional activity against a nematode, and is a peptide.
12. A nucleic acid encoding a peptide of claim 11.
13. A nucleic acid according to claim 12, which nucleic acid comprises a

51

natural nucleotide sequence or a degeneratively equivalent sequence, or a functional variant thereof.

14. A nucleic acid according to claim 13, which is a homologous variant encoding a peptide which is a nematode control agent, the nucleic acid having 70% or more DNA sequence identity and/or the peptide having 70% or more amino acid sequence identity.
15. A nucleic acid according to claim 13, which is all or part of cosmid cHRIM5, in particular p 13-1f or p 14-2f, and variants thereof.
16. A nucleic acid according to claim 13, 14 or 15, wherein the variant has a sequence which is a derivative by way of addition, insertion, deletion or substitution of one or more nucleotides.
17. A nucleic acid according to any of claims 12 to 16, which is part of a longer sequence and the nematode control agent is expressed as a fusion protein.
18. A nucleic acid complementary to a nucleic acid according to any of claims 12 to 17.
19. A nucleic acid for use as a probe or primer having a nucleotide sequence of at least 15 nucleotides, which sequence is present in a nucleic acid according to any of claims 12 to 18.
20. A method for identifying or cloning a nucleic acid according to any of claim 12 for a nematode control agent, which method employs a nucleic acid probe according to claim 19.

21. A method according to claim 20, which comprises the steps of:
- (a) providing a preparation of nucleic acid from a bacterium,
  - (b) providing a probe,
  - (c) contacting nucleic acid in said preparation with said probe under conditions for hybridisation of probe to any said gene or homologue in said preparation, and,
  - (d) identifying said gene or homologue if present by its hybridisation with said probe.
22. A method according to claim 20, which comprises the use of two primers to amplify a nucleic acid encoding a nematode control agent, at least one of the primers having a conserved nucleotide sequence of at least 15 nucleotides.
23. A method according to claim 20, which comprising the steps of:
- (a) providing a preparation of nucleic acid from a bacterium,
  - (b) providing a pair of nucleic acid molecule primers, at least one of which is a primer,
  - (c) contacting nucleic acid in said preparation with said primers under conditions for performance of PCR,
  - (d) performing PCR and determining the presence of absence of an amplified PCR product.
24. A recombinant vector comprising a nucleic acid according to any of claims 12 to 17.
25. A host cell containing a vector according to claim 24 capable of replication.
26. A host cell according to claim 25 which is a plant cell.

27. A method for producing a transgenic plant which comprises the step of regenerating a plant from a plant cell according to claim 26.
28. A plant produced according to claim 27 which is a crop species which can be maize, cotton, soya, rice, *Brassica* species, tomato, potato, sugar beet, barley, soybean, peanut, onion, rye, wheat, corn, banana, raspberry, bean, or a decorative or other plant.
29. A method of producing a peptide nematode control agent comprising causing or allowing expression of a nucleic acid according to claim 12.
30. An antibody or fragment thereof, or a polypeptide comprising the antigen-binding domain of the antibody, capable of specifically binding a peptide of claim 11.

1/14




Fig. 1

2/14

Molecule: Sequence Data  
Description: chrim5ed2.seq, 37544 bps DNA

```

1   ggatcagctg gtttgccacc gggatcccca ccgttgatgc cctgttagcg gaggaattct
61  ggcacgggtg caaacaggct ttcccgcctt ttacctgccg ttttacgcat tttgaccttg
121 ataaagaaca ggatgttact ctcgttccct cgacggaaga ggcttatttg ctgcaccggg
181 cgttgcaagg ccaaccgtta cacagtggag tctatggcga cgatggcacc ggcgagcgcg
241 gtatccccta taccgttatg gacagtggcg cccaggttcg gcttctgacg ggtttaccgg
301 gtaactcacc gacagtctgg ccgagtgtga ttgaacagag aacctggcag tacgaacgga
361 ttgccgatga tccgcaatgc catcagcagg tgggtgctgaa cagtgaaccg tacggttttc
421 cacgggagac cgtcgacatt gcttatccgc gccgcctaa gctgcggtg tcaccttacc
481 cggatagcgt gccggcgacg ttattcgaca gcagctatga tgagcagcaa cagcaattgc
541 ggcttaccgg gcaacggcaa cattaccatc acctgactga cactgaacat caagtgtggt
601 gactgcctga tgtcatgcga agcgtgcctt ggggctatcc ggagcgcgcg gtaccccggt
661 aaggtttcac cctggaggac ttgctggcag agaacagtct gatagccccg ggcacggcat
721 tgacctatgt agggcatcaa cgcgtggcct ataccggaac gaccggaacc gaagaaaaac
781 cgacccgaca ggcgctgggt gcttataacc aaaccgcggt ttttgatgaa ttggccttgc
841 aggcctttaa tggcacattg agtctgaag ccctggaaaa gaaattaatc gactctggtt
901 atttgctctg tccacgcccc ttcaataacc gtgcggaatc ggcggtctgg gtcgcccgtt
961 agggatatac cgattacggc gggctctgag cgttttaccg tccgttgggt cccggacga
1021 cgggtgcgat tggcaaaaac acctccattt gggataccca ttactgtgct gtcgtccgta
1081 ttgaggatgc ggcgggtctg tacacggatg ccgcctatga ttaccgcttc ctgacccccg
1141 ttcagataac cgatgccaat gacaaccagc actgaccgcg actgacgagg cagcaatttc
1201 tatcatccgg ccggttctgg ggcactgagg aagggactcc gcaggggtat accccgctg
1261 aagacggccc atttacgcca ccgtcctcag tggcggaagc cctcgacttg aaaccggatc
1321 tccgggttgc caactgcatg gttatgcgc cgctgagttg gatgcccgtt ggcacacctt
1381 atcaggaata tatagccggc ttactgtggc aggcactgct tgacgcgggg gtagtgacgg
1441 aagataagcg ggtttgtgct ctgggtttcc gtcgctgggt gcaacgtcag ggcattgtgc
1501 tgaatgggca ggcattggcc gattcacggg aaccgctcca tgtcctaacc ctggcactgt
1561 accgttatga caccgatccc gatcagcaac tgcgcaagag cgtcacctac agcgacgggt
1621 tcgggcggtt attgcaaagt gcagtctacc atgcgccagg agaagcctgg caacgcgagg
1681 cagatggcag cctgatcacg gacgcgaaag gggcgccctt cgtagcccat acggcaaccc
1741 gctggggcgt ctcaggcagg acagagtatg acggtaaagg gcaaccgctc cgaacctacc
1801 gccattctct cctgaatgcc tggcagtacc tcagtgtatg cagtgcacgg caggatttaa
1861 atgccgatac acaccgttat gaccgcctcg gccgggaata ccaggtgaga accgccaagg
1921 ggtatctcgc ccaaaatcgg ctgacccccct ggtttgtggt gaatgaggat gaaaacgaca
1981 cgctctctta attaacacga taacgttaaa taatcacacc ttctgcccag gtacggggga
2041 aggttaacta ctctatcaag gaaaggtttt atgactgtaa acagaggcga taacctgtcat
2101 caaaaaacgc cggaaagtga ggttctggat aaccgggggc tgaccgttcg cgagctccgt
2161 tatcaccgcc acccaaatac cccaccacc accgatgaac ggatcacccg ccatcggttt
2221 actctctcag gtacgttggc gcacagcatt gaccgcgtc tgtttgactt acagacagc
2281 gataatacag tcaatcctaa catgatttat gatactgac tgaccggtga ggttgtgcgc
2341 acaaggagtg tcgatgcggg taatgatctg atattgaaat acattaccgg ccggcctgtg
2401 ctggccatca atgcaaccga agtcactcgt acgtggcaat atgagaatga cactttaccc
2461 ggacgcccgc tcagtatcac agaaccgcct gctggcgaag caggccgtat caccagcgt
2521 tttgtctggg cagggaacag tcaggcggag aagaacagca acctggccgg acagtgcgtg
2581 cgtcactatg acacgcggcg actgaaccag acggacagta ttgcgcttaa cggcataccg
2641 gtgtccgtca cgcgccagct gctgccggat ggtacggacg cagactggca gggaaacaat
2701 gaaccccgct ggaacgacgg gctggcacgg gaaacttca ccaccctgag cagcgcggt
2761 gccacggcg cggtactgac caccaccgat gcggccggtg acctgcagcg tgtggcggt
2821 gacgtagcag gcctgctgac tggcagttgg ctgcggtctg cggcggggac agagcaggtt
2881 atcgtgaaat ccctgacgta ttccgcccgc ggtcagaacc tgccggaaga gcacggcaac
2941 ggcgtgggtg ccacctacac ctacgagccg gagaccagc gccttgttgg cataaaaaac
3001 aaacgcccac agggacatgc acaggggacg aaggtgttgc aggcctgctg ctatgagtac
3061 gaccgggttg ggaacgtggt gaaagtgcg aacgatgcgg aggttaccgg cttctggcgc
3121 aaccaaaaag tgggtgcgga gaacacctat gtctatgaca gcctgtatca gctggtcagt
3181 gccacggggc gcgaaatggc caatatcgtt caacaaagca cgctgttacc cactccttcc
3241 ctcatgtata gcagtaccta cagcaactat tccgcacctt acaattatga cgtgggggac
3301 aatctgcagc agatacgtca cagtgtctcg gccactggtg acagttacac caccgacatc
3361 agcgtctcag atcacagcaa ccgggcagtg ttggacagc tgacggatga tccggcaaa
3421 gtggatgcac ttttactgct gggcgggcac cagatcccac tgcaaccggg acagaacctc
3481 gtctggacgc cgcgcggtga gctgctgaaa gtggcaccgg tggtagctga cgggcagatt
3541 tccgaccagg aatcctatcg ttatgatgcc gccagtcagc gcatcatcaa aaccacggtt
3601 cagcagcagg ctaacagctc gcaggcgtag agcagctgtt acctgccagg gctggagcgg
3661 cacaccacaa taaatggcac gacggtgaaa gaggtgctac acgttatcac gataggcgag
3721 gcgggcccgt cgcaggtgcg ggtactgcac tgggagaacg gaaagccggg tgccatcagt
3781 aacaaccaga tgcgctacag ctatgataac cttatcgcca gcagcggtct ggaggtggac
3841 ggtgacggac aaattatcag .tatggaagaa tactaccggt acgggggcac tgcggtgtgg
3901 acggcgagga gtcagacaga ggtgattac aagactgtgc gttactcagg caaggagcgg

```

Fig. 2



3/14

chr1m5ed2.seq

```

3961 gatgcaacgg ggctgtatta ttacggctac cgggtattacc agccgtgggc ggggagctgg
4021 ctgagtgcgg acccgggcgg cactatcgac gggctgaacc tgtaccgcat ggtcaggaat
4081 aacccggcga cactggatga taataacgga ctacgcccgc gaaatagata tgtatttttt
4141 ccatattatc atgaggacag gatttttcgt ctggcaagcg cgaatgttta cagaacggaa
4201 cataataaat ctgacatcat tgcggttgta gaagataaag cattagatag taaactattc
4261 accaatagta ttgagcagtt tttcaaaaaa cctaaaggaa aagcaatcct gaaaggatcc
4321 cctgatatta aagaaaggct actcaataat atagtacatg acctgagcaa tatgcaggta
4381 ggagatcagc tgtatgtaaa cgctcatggt cattctgcga aaccattttt ttactccgat
4441 tcgggatatt caaaaaatcat catggaacag ctccaaagag gggctaacta tgtagctaaa
4501 gatttagtaa ataaagttaa attaccagaa aatgcaacaa tcaagataag tacgtgtcat
4561 agtgctgaag gtaaggcgcc tcatattacc gtcacatcca ctggaacaaa tgaaaaaatg
4621 agatacagtt ccattataga gaacaaaggg gaattttccc ggtcttttagc aggtaccatg
4681 gaaaatgagt taattaaact acagccgggc agagttcgcg ggaatgtata tggttatctt
4741 ggcgcgacaa cgttctatgg tgctaaaaat gaaaaagtca tacacctcaa agatggcaat
4801 ctgacaactg gcgttcatga aggcaagtta tcaatgttta ctaaaaagaa ccgattttca
4861 gaaaacattt ttgggtttaa ggtaaaaaga agtctgacgc gaacaaactt taccggcagc
4921 ggcgtataaa aacaaatttc aaaccgcatt taatacggga cagccagcgc gtgctcaaaa
4981 cgacctgacc tgtcacgtcg ttgcttcccc gttacaccgg caggtcggac gcctgctggt
5041 cttttaccgg ttttcaactg atattgaccg gcataccatg agcatcacga ccaaatgtgg
5101 tctgtcgca ttaacggcga gttaatcaga gatcccgcca gtggttggtt tttatactgg
5161 caatcgataa aattgttccg ccgccgataa acattcacct tectcttgcg aatacgggtc
5221 tttccggagc atggcgacga gttctatccc tgccagtcac gtttgtgccc ggcgaacaga
5281 tttaaaacct aacattggtc gtatccgacg ttgacatgg cgatggctct gctcaatgcy
5341 gttattcagg tatttatttt gccggatttc aatcccctgc tgaggctcac cttccgcat
5401 gaggagggtg agcgcggcgg tattggcccc acttttatcg atagtcacca cagtcggtct
5461 gcccgctcgt atcaaccgac cggtaaaggt atttccactg gcctttgact ttaattgtatg
5521 tttcatccat tcgccatcgg gagccaacag gctttttcgc tttccggaaa ccctgctga
5581 gcaggggtac caaacgtaac acccagcgag gtatcgtggc gtggtcgacg aagatcccc
5641 gttttgccat catttctccc agattacgta agctcagcgc gtaggtcaga gaccaacgga
5701 cacattgggc catgatatcg acaggataat ggaggagtgt gaatgcgttt cggatcaggg
5761 acatcactct ggactcactc aaaaacagga gagcttacct gatattacgc taatgcgaca
5821 gaacctattt tatcgattga ctgcataaat agtcatcatt cccacctccg tacaactttt
5881 ctctgttaat gcgacagaac ccttttttcc atattgcctt gcattgcctg tagttgcctt
5941 aaattccttt aaatttccta tagttgctta aaatatccat aatattgcct gagcgattg
6001 gcgaagcgcg tcatattgagc cggtcggcga ggcgcgtcag caaatccatc cgctcgtgaa
6061 aaatcgccac aattaacgca ggcgcatttt cacgcggcag acaaaaacac tagtgacgtt
6121 cacaatgcgc catgcgcaat gccggaaaga gcgcgtcat gtccttaaaa gactcttggc
6181 cgacagcaag ccgcgcaatg ccctgttcca gcgcggtgat gtagcggcgc acctgcgcgt
6241 caccatcttg cttgcgcgta tggcggtatg ttgcgcgtaa atcggcctca gccgccttcg
6301 tgagtcataa gtcctacagg ccggtcgtcg cccggcaagt tcttcacga gaatttcgac
6361 gatacttttc ccgcacccct tcccctccat cccttcattg atgcgtgtat ccagcaaggc
6421 tttcagctcc tgccatgcct gatcgctatc gctcattccg ggaacaggc gttcagtgcc
6481 gtattgcttg atcgtcttgc cttgcaaggc agccaatgcc tttaggcttt ggtgctgccc
6541 tccggtgatg tcaatggctc gacggctcat ggttttctcc ttatcggtta tacacaaacc
6601 cacattagca catataatgg tttgtggcta tttattacac agggggtcag atatcgtttt
6661 gtccggcaaa cattcgtttg tcggtcattg tcatatttcag aagacgactg caccaattaa
6721 tagggattag agcctgggtg gcatatgact ggcactgttg caaagtttga gactcattg
6781 atgctaagtt aaatgtttcg taacgggagc tcaccgtatg aatgtattca aaggccgtca
6841 ttttacaggc attatcattt tgtgggcagt tcggttggtac tgcaataacg gcatcagcta
6901 tcgtgaactc caggaaatgc tcactgagcg tggcgtcaat gttgaccata cgactcttta
6961 tggttctggt gcaataagta aagcctcggt aatatctcac ttattgttg ataagagtgt
7021 cgtcaatgtc gttgatacga aaagccttca tgacacccat gcataagaga agcccatcat
7081 taccaagggc ggtattcctg ccgcctgagg gtttctgctg attatccctt tctgcctttt
7141 cccgcattct gttagaatgc ccacttctta attgtttcca aaactaatgt tgttatgtca
7201 aatcaagatc ctcataataa acgggacagt ctgttctctg ccccaatcgc caatttaggc
7261 gactggagtt tcgacgaacg tggtgccgaa gtccttccctg atatggtgaa acgttccata
7321 cccggttatt ccaatatcat tccatgata ggtatgctgg ccagtcgctt cgtgacgcca
7381 ggtgaccaa tttatgatct cgggtgctcc cttggggcgg caactctgtc catccgcgcg
7441 agtatcaatg ctgataattg ccggattatc gctatcgata attcaccagc catgatcgaa
7501 cgctgcggcc gccatattga ttctttcaag gccagtacac ccgttgaggt gatcgaacag
7561 aatattcctt ataccgacat tcataaatgcc tcaaatgttag ttttgaattt cactattcaa
7621 ttccctgcacc ctgatgatcg ccagaaaata ttgaagaaaa tttacgcagg attaaaacc
7681 ggaggggttt tgggtctgtc tgaaaaattc aattttgaag accagaaaat tggcgagtta
7741 ctattcaata tgcaccatga ttcaagcgca gccaatggtt atagttagct ggaagtgcg
7801 caaaagcgca gtatgctgga aaatgtcatg cggaacagatt ctgttgacac ccataagtca
7861 cgctttaaag aagtcggttt ccagcatgta gaagtctggt tccagtggtt caatttcggt
7921 tcattattgg caataaaaag aactgaacaa tgatcgattt cggtaathtt tatcaattga
7981 tcgccaagca cccactaaac cattggctgg atagcctgcc agcacaattg agccactggc
8041 aaaaaacatc acagcacggt cagttcagct catgggtaaa aattctggaa aatttgcttg
8101 agatcaagcc aagccacctt gacctgaaaa tggtgtcat tgcgattcat gagccggatc
8161 tgtcaaaagg tgaaaaagct cgcctccaca atatcctgaa aatattgatg ccatggcgaa
8221 aaggcccttt ttcattgtat gacgtgaaa ttgataccga atggcgtctt gactggaaat

```

Fig. 2(i)

SUBSTITUTE SHEET (RULE 26)

4/14

chr1m5ed2.seq

8281	gggagcgagt	gctgccccat	atttctcctt	tagaaggaaa	aaccgtactt	gatgtcggct
8341	gtggcagtg	ttatcacatg	tggcgcatgg	ttggcggaag	cgctcaattg	gttgtgggta
8401	tcgatccaac	ccaacttttt	ctctgtcaat	ttgaagcgat	cagaaagtgt	ttggggaaca
8461	atcaacgagc	ccaccttctg	ccattgggca	tcgaacaatt	acccgaactg	caagcctttg
8521	atacggtatt	ttcaatggga	gtgctctacc	accgcccgtc	acctcttgat	catctgtggc
8581	aactgaaaaa	tcaactgggtg	tctgatgggtg	agttagtgtc	ggaaagttta	gtgattgagg
8641	gtgatgaaaa	tcagtgcctc	attccgggtg	aacgctatgc	acaaatgctg	aatgtctact
8701	ttattccctc	ggccaagatg	ctgaaagtct	ggctggaaaa	atgtggtttt	gtcgtatgtca
8761	gaattgtcga	tcctgcccgt	acaacacctg	atgaacagcg	ccggacagaa	tggatgaaga
8821	ccgaatcact	ggtagatttc	cttgacccat	cagatcacag	taaaacaatt	gaaggctacc
8881	ctgccccatt	gcgtgctgtc	ctcattgccc	gcaaaccata	atattgaata	aatattaatg
8941	agtgaactgt	ccaatatggc	aattcactca	ttaaagttcta	agatttcgct	ttccttatga
9001	cgcaagcgat	atcacatcta	ccgcttaatc	aggctcatca	ctcccttcac	cgactcaact
9061	aactcaccat	caacactgta	gtgagaatat	tcattctacat	cacgatcgtc	cgaactcatc
9121	gccaccccta	cctttcggta	cttcatggta	gaaggtacaa	ttttacccgc	cgagctatga
9181	actttccgtc	ttccggcttc	cagaaactta	ctgatattac	tcaccctgac	acccgcgccg
9241	ggcataatta	tcggcccacg	gctggcttgc	atcagctctt	ttacacgcgt	cagccccagt
9301	tcagcattct	gctgttggtc	tgatgttaaa	atacgtgca	ctccaagctc	tgtcagttgt
9361	tccaacgcaa	catgctggat	aaaaacata	tcaaaagcgc	gatgaaaagt	aacagccata
9421	tttcccgaca	gtgacatcaa	ctgcccgcata	cgaggtctgt	caatatggcc	gttttcgctc
9481	aaaatgccaa	aaacaatgcc	ggggaacccc	atatcacgga	tacgagcaac	gtcatttttc
9541	atggcttcaa	aatccatggt	gttataacag	aagtctcccc	ctcttgccgc	cacaatggga
9601	tgcacaggaa	tagataaccg	ctgtaacgac	tgttgtaattg	ccccaaaact	gggtgtcaat
9661	ccgccttcca	acgggcttgc	gcttaattcg	attcgggtcag	cgcccgcat	ttgtgcaacc
9721	agcgcacagc	ttatgtctata	acagcaaat	tcagcttta	tcattaaaaa	gccctccgaa
9781	tacgaattcg	tcaacaagtc	atcatttaac	ctaaaactac	tttattatg	aaactattaa
9841	ctatgacaac	taacttatct	taatgacatg	ttggaaatca	caaggtcaga	attttttact
9901	ggaacagcat	gataaaaaacg	tcatttttgc	cggtctatcc	tcacttttga	caattttctc
9961	gatacaaaaa	ggatgatatt	tgatcgtgat	ttcaccatca	gtgacagcca	aaatcggtt
10021	cggaacccgt	tcatttttttc	cttttggtatg	actctccttc	atccgaaaat	tatctggtaa
10081	aggttgaggc	aataactttt	tagcttcaca	aataagttgc	tctggtggta	caggcagcac
10141	cagttcgaca	tggtcccaac	cttggtggac	atagttttt	tggctgggtg	aaggcaattc
10201	cacgcaatca	attttccagt	caagtagtac	tattggctgg	ttcagatcaa	ataagcagat
10261	cggacggcca	ttaatgatac	tttcagatat	taactgacca	cattgcagaa	agcccttacg
10321	ccaacgatcg	gctattttac	tttcattaca	acgcagggaa	atatggtctg	ctgaattatg
10381	ttcgaagtgt	aaagccaagt	gcccttcaaa	ttgcttaagt	ttttgctcaa	atccggttaa
10441	atcagccact	aaatcctgta	actcagaat	ttttgaaaaa	tgagacattt	cttccccatt
10501	aaataaacgg	taaaaattgc	gttccattaa	tgtagacataa	atcacaaatc	gtctattttt
10561	gccgaaatat	cactcagtaa	gcgactaatt	gaagttggca	taacgacgaa	tcgcctgaaa
10621	gacaggctaa	aaacaaaaag	taacaccacc	agaggtggct	gatggtagca	tgcaggaccc
10681	cgaatatggt	ataaaccccg	ttattttctc	ataaccacac	cgcttaaaag	tattgcattt
10741	ccaaaaatgca	taagctttcg	tgcgtaactt	aaggtaacac	gggtgaatata	caggttattc
10801	tttcagaaaa	aatcagcaat	gcgctgattg	aagctggcgc	tccaaccgac	agtgaagctc
10861	acgtccgtca	atctgccaaa	gcacaatttg	gtgactatca	agcgaatggt	gtgatggctg
10921	ccgctaaaaa	ggtgggaata	cctcctcgac	aattggcaga	aaaagtcgtc	agccaactgg
10981	atctgcaagg	aattgcccagc	aaagttgaaa	ttgcaggccc	aggtttttatc	aatatttttc
11041	ttgataaaagc	gtgggttgca	gcaaatatag	aaactaccct	gaaagatgaa	aagctcggta
11101	tcaccccagc	ggaaccgcaa	accatcggtta	tcgattattc	cgcaaccgaat	gtcgccaagc
11161	agatgcatgt	tggacacctg	cgctcaacca	tcattggcga	tgtcgcggcg	cgtacccttg
11221	agtttcttgg	gcataaagtt	attcgagcca	accacgttgg	tgattgggga	accagttcgc
11281	ggatgctgat	cgcttatctg	gaaaagatcc	agaacgaaaa	tgccaatgac	atggcattag
11341	cggatttaga	agctttctat	cgcggaagcaa	agaaacacta	cgatgaagat	gaagagtttg
11401	ctattcgccg	tcgtaactac	gtcgtcaaac	tgcaaggcgg	tgtatgaat	tgcgtaaga
11461	tgtggcgtaa	gctggtagat	atcaccatgt	cccagaatca	ggaaacttat	aaccgcctga
11521	atgtcacatt	gacagaaaaa	gacgttatgg	gtgaaagcct	gtataacgat	atgctaccgg
11581	gtatcggtgc	agatttataa	caacgtggaa	ttgccgttaa	gagtgatggc	gcgacagttg
11641	tttaccttga	tgaattcaag	aataaagaag	gcgaaccat	gggcgttatt	atccagaaaa
11701	aagatggtgg	ctatctttac	accacgacgg	atatcgctcg	cgccaaatac	cgtcatgaaa
11761	ccctaaatgc	cagccgtgtg	ctttactaca	tcgattcacg	ccagcaccag	cacctgatgc
11821	aaagcttggc	aattgtacgg	aaaacgggtt	atattccaga	atccatgtca	ctcgaacacc
11881	acatgtttgg	catgatgctg	ggcaagatg	gtaaacatt	caaaacccgt	gccggcgcca
11941	cagtaagact	gtccgatttg	ctggatgaag	cgattgagcg	tgcggatacc	ctcattcgtg
12001	agaaaaaccc	agatatgcca	gaagacgaac	tgaaaaaagt	cgtggaagcg	gtagggattg
12061	gcgcggtgaa	atatgcagat	ctttccaaga	gccgtactac	agactatgtt	ttcgactggg
12121	ataatatgct	ggcctttgaa	ggcaacacgg	caccttatat	gcaatacgcc	tacacgcgcg
12181	tgtcatctat	ctttaaacgt	gcgcatatcg	atgaaaacag	cctgacactg	ccggtgatgc
12241	tgaatgaaga	acgcgagcag	gcattggcaa	cccgcctgtt	gcagtttgaa	gaaacgatca
12301	ctaccgtcgc	ccgtgaaggt	acgccacatg	ttatgtgtgc	atacctgtac	gatctggccg
12361	gtctgttctc	tggtttctat	gagcactgcc	ctatcctgaa	tgccgatagc	gaagaactgc
12421	gccagagccg	cctgaagttg	gctctgctga	cagcgaaaac	tttgaagcaa	ggtcttgata
12481	ctctgggtat	tcagactgta	gaacgtatgt	aataatcttc	tacaagctg	aaaactggcg
12541	tgatattatt	ttattacgcc	agttttttcc	tttcttctat	tctgtcaaaa	attaccaatc

Fig. 2(ii)

SUBSTITUTE SHEET (RULE 26)

5/14

chr5ed2.seq

```

12601 tgcacatataa ttaatcttga gctaacattt tgatatttaa tcatagaaat atatgaacac
12661 agaagcagtt gttatgaaaa aattatttat ttctaactgc tagccctacc aatctccata
12721 aaaaaacctg atttttattc actattaata attaaatgata atttctattt taattaacct
12781 tgttataaaa aatagtattt taaaaaaaca ttttacatta tataaaatat atcaatcgac
12841 tctttatttc tttatccatt tataaaatat attttttacc aaaataatat ttaaatcata
12901 tattatattt acatcacggt agatcaaaat aacaattttt tagtcgttaa ccagatttca
12961 gaacggcacg atgatataata agtcacatgg gttgtaaaata aaggaaaaag ataaaaaaga
13021 ggagataaat cttcgcattt cttcaatgaa gatggatata gatactgtaa ggtagttaatt
13081 taaatgaaat ccattaacaa attaatattt aattttacatt aagagaggat tctatgagtg
13141 attggactgg tgtttcaaca tttaatgtta ttcttgaaac aggattagat aactgcaata
13201 tctacgctaa tgggcttaac atgattgggg taattattaa tatcacacc actgatgatg
13261 aagggaactt cgtagatatt gagatgttta cactaaatga taacatcaag attgttgatt
13321 atatcgatgg aagcgacatt gatggcagtg acggatgggt ttatacagga aatcctaattg
13381 aatacaacac tattccaaat agtcagtcctt attcctttatt aaagagtga aattctcaaa
13441 ttacgcaaat taaacgatat gtttcttggt caaatacatc caggctaaga accaagtctt
13501 tttctgcgaa ggtaaccact accagtgga aagttatttc aataactcaa aatagcatta
13561 attcatctcg ggtagtaatt aatgcaatag atgcaactaa ttttactgat gatgaacttc
13621 gaacaacaaa agaaaacagg tttgaaaatc aatcctatac gtcacataaa tcatctacaa
13681 actctttata tgtgcatacg tggacaatac caagaagcctt aaaactacaa aattggcgtt
13741 ggggaagatta caataatggc tggacttggg cacaagttg ctactataaa acaggagccg
13801 atggaggatc agagtcaacc cgctggttgg ccgctggttc aatctttcca ccaggaaatt
13861 atgatggcct gtggctagat caatgatatc cactaagtgg tatggcacac aaagctaca
13921 atgttgatac tggatcaat caattgagtt ttaccctgat tataggtaaa ggtttcagct
13981 gggtttataa tatatccgga cttgatagag ggcagtcctt tattattatc gaccagtatg
14041 gtaacaaata tagaatatta ttccatgccc ggtatgaaaa ctcagatcct tacttgcctt
14101 catcaatagt atattaaaa tagtgttacc aatgggtggt tagcatttcc ccaatcgaa
14161 acttgacctt gtggctgtaa ttataattta tttcacagc cactttttta gtatacataa
14221 aattccttaa gttattcagg agaataccca tgagtgcata taatgagttt ttactcaag
14281 tcaataattt caccagcgtt gtcagtgtgt gcgttgacct tcgcacagga ttatacaata
14341 tacaatttac tttaggtcac attgttggtt acggtaatct tggacctact ctgcctctta
14401 ccttaagcta ttctcctctt aacaaaacag atattggatt tggcattggt ttttaatttg
14461 gattatcagt ctacgcagaa aaaaattctt tattgtctct ttctaccggt gaaaattata
14521 aagtcctcga aaccgataaa acagtaaaac ttacagcaaa aaaactcgac aatttacgct
14581 ttgaaaaaga cctaaaagaa aattgtttatc gtattataca taaatccggt gatattgaag
14641 tgttaactgg tttcaataac aatgcctttg acctgaaagt cctaataaac ctattaaacc
14701 ctgctggaca tgctatctat attgattgga attttgaggc aactcaacct aggctaaatc
14761 gtatttatga tgatctggat gggcatgata taccattatt aaacctagaa tatcaaggac
14821 taattaaaac gatattaacg cttttccctg ggcaaaagga aggctaccgt accgagctac
14881 gctttctaaa cagacaattg aacagctatc acaactttag cttgggtaat gaaaaacctc
14941 tcaactgggtc cttcggttat acccctatag gaaaaaatgg tattttgggg caatggataa
15001 caagtatgac cgctcctgga ggattaaaag aaacggttaa ttatagtaat aataatcagg
15061 ggcacatctt cccccaatca gccaatctac cgggtgtgac ctatgtcaca ttaatgaagg
15121 aggttccctg agcaggacaa cccgctatcc aagcagaata ttcgtatacc tctcataatt
15181 atgtcgggtg gggatctaatt ggtatatgga ataataaatt agataatctg tatggattga
15241 tgacagaata taattatggc tctactgaat cccgcagata taaagataaa gaaggccatg
15301 atcaaatagt ccgtatagaa cgcaataaca ataattacca tctgttaact tccgaattga
15361 agcaacaaaa tggatatata cagacaactg agacagcata ttatgctatt attggccata
15421 attttgattc tcagccctca caattccagt tgccaaaaac caaaacagaa acttggcgta
15481 gtgcagataa cagctatcga agtgaattaa ctgaaaccac atttgatgaa agcggaacc
15541 ccctaaccaa agtaatacaa gataagaaaa cacaaaaaat aatctcccc tcaacgcatt
15601 gggataacta ccctccggct ggggaggtcg ataattgccc accagaaccg tatggattta
15661 ctcgtttcgt aaaaaaaatc atacaaactc cctatgactc cgaattttaa gatgatccg
15721 agaaatttat ccagtatcgt tatagcctca ttggcagtc gagtcagtgt actttaaaaa
15781 tagaagagcg ccaactacgt gcaactcaac ttctgaatag tactctattt caatataata
15841 cggataaaaag tgaacttggg cgtttattaa aacaaactga atgtaccaa ggagaaaatg
15901 gaaaaactta ttctgtcgtg cataaaattt cctatacaaa acaggacgac acgctgcaac
15961 agagccattc cataaccacc catgataatt tcacaattca ccgcagtcag gttcgttccc
16021 gttataccgg gcgtctgttt tctgacacag atactaaaga cattgttaact caaatgtcct
16081 atgacaaatt gggctgatta ctcaacatc ccttaattc cggtaacca tatgccaaca
16141 ctctgacata tgattatgaa cttaataatc ttcaggatga caatcgccct ccgtttgtta
16201 ttaccaccac ggatgtaaat ggcaatcagc ttcgcaatga attcgacggt gccggacggc
16261 atgtcagcca atgcctgaaa gactccgatg gtgatggaaa attctatagc atacatacgc
16321 aacaatatga tgaacaaggg cgtcaatcata catctacata ctccgactat ctcacaaatg
16381 gaagacaaca gacggatcct gataaggtgc atctgtctat gtcaaaatcc tatgataatt
16441 gggggcaaat tgcgaacaca cactggagtt atgggggttc agaaaaata actgtagatc
16501 cgataacatt gacggccacc aaacagttac aaagcaatag caataatgtg caaacgggta
16561 aagaggttac aacttatcag ccaagtcaac aacctataga gattacgtta tttgacgaag
16621 caggccattt acagagttgt cataccctga ctgggatgg ctgggatagg gttcgcaag
16681 aaaccgatgc aataggccaa tgcactattt accaatatga taactataac cgagtcattc
16741 aaataacgct tcctgatggc accatcgtaa atcgcaata tgcacccttt agtactgata
16801 cgctgataac agatattcga gtgaatggaa tttccttggg acagcaaacg tttgacgggt
16861 tgagtcgatt aacacaaagt caagatgggg gacgagtatg ggcttatact tattcggcag

```

Fig. 2(iii)

6/14

```

chrinSed2.seq
16921 gtaatgacca atgcccacatca acagtaataa caccagatgg tcagttttatc cattatcaat
16981 atcagccaga attagatgat gcagttattac aagtagcatc aaatgaaatt actcagcagt
17041 tcagctataa cccagtcact ggggcattat taaaggcggt ggcagaggga caaagccttga
17101 cccctatcta ttatccatcg ggaagactta agatggaaaa tatcaatgat atgaaaaaaa
17161 tgagttacct atggacactt aggggtctgg agaaggtta cactgatctg actggaacaa
17221 tacagaaaat ttccgctgat acccatggca ggggtgacaca aattaaagat tccgtcaataa
17281 agactactct aaattacgat gacctgaatc gccatattgg tagtcaagta acagatttag
17341 cgactgggtca tatgttgaca acaacagtg gaaatttgatg cttaaaccga gaaattggac
17401 ggaaattgtg tgatagctca ggccatacgt tagatatcca gcagagctgg ctgaaacac
17461 agcaattagc aaatagaata gtgaaactga atggagtatt gcagcgtaca gaacagtagt
17521 cttacgattc ccgtaatagg ttgaaccaat ataaatgtga cgggtcgga tgcccgacag
17581 acaaatatgg ccatagcata gtcacacaaa attttactta tgatatctat ggcaatatca
17641 ccgcctgtca caccacattc gcagatggga cagaagacca tgctaccttc aaatttgcca
17701 acccaactga cccatgcca ctgacagagg tacaccacac tcatccagat atgccggata
17761 atatcaggct gaaatatgat aaggctggta gagtaataaa tatcactgat aaccatggaa
17821 atacggaaaa ctttacctac gatatactgg gcagattaca aaacggtcaa ggtagtgttt
17881 atggttatga tccattaaat cgcttagtga gtcagaaaac agatacccta gattgtgagc
17941 tgtactatcg gaaaccatg ttggtcaatg aagtagcga tggagaaatg atccgtttat
18001 tacggacggg tgaacaata atcgcacagc aacgcgcac aaaagtcttg ctaacaggaa
18061 cagatagcca acagagcgtg atattaacga gtgataaaca aaacttgtct caagaagcat
18121 atagtgcata tggaaagcat aaatctacag caaatgacgc ttctatcctg ggtcataatg
18181 gtgaacgcgc tgacccagtt agtggagtaa cacatttagg taatggttac cgctcctatg
18241 atccaacatt aatgcgcttc cactactccag atagcttaag cccctttggt gctggaggga
18301 ttaattcccta ttctattgc ttaggagacc caattaatcg ctacagacct tctggctatt
18361 tgagttggca agcatggaca gggattggca tggggatcgc tggattactg ctgaccatag
18421 cgacaggtgg aatggcaatt gcagcagcgg gaggattgac ggcggcaatt gcttccacct
18481 ccacaactgc actggcattt ggggcaactg gtgttacatc ggatataacg tctattgtta
18541 gcggtgcaat ggaagatgct tcaccgaagg catcttctat actcggatgg gtttcaatgg
18601 gaatgggtgc tgccgggtta gctgaatcgg ccattaaagg tggcaccaaa cttgacacac
18661 atctaggagc attcgtctag gacggggaaa acgccttact taaatcgact tccgaaagtt
18721 ctagaataaa gtggggagtg acaagaagct tagatagaga aattgttcgc aatgaagaag
18781 gtcaggtgat aaaagatcat agccgaggtt ataccgataa ctttatgggg aaaggagagc
18841 aggtatattt agttcatgga gataaagatg gatttttgta tcatacagaa ggaacacaac
18901 ataattgaaa agggccatac actcgacata ctctgaaca actcgttgat tatttgaaag
18961 acaataacat cgttgatctt acacaaggag gagacaaacc tgttcattta ttatcctgct
19021 atggaaaaag cagcgggtga gcagataaaa tggcaaaata tatcaacagg ccagttatcg
19081 cttattctaa taaaccaaca atatcacaag gattagccag aatagaaaga aaggactttt
19141 tcttaaaaaa tacttaccat tcgtatgatc cacggaagat catactggga agaacagaaa
19201 aaacagtga accaaaaaact tttcgccctt aataaccttg caaaattcaa aggtactggc
19261 agaagtcata taaataactc tatgactggg taaatgaaat cagtatcca acattaaaca
19321 ggtcgtgaag ggtcatctta tcaaccgccc aataaaaaat tgggcggttg tattgaataa
19381 aattatttat taatcaggga atcactgcaa tccccgatga gcaaaatctt tcagtctaaa
19441 tcccataaag gccagaactg caaaataact gcctgctccc gcaatcacta cgccccatta
19501 gcgcagttag cgcatgcca tattgccctg ttcccatgct ggcataacc acaatactgc
19561 caacagcacc ccgacctca cagcaattgc caccaccaat ttaaacagga atatcccca
19621 tcccgcacaa ggcgtgaaaa tatcacgctt acgcagttgc caataagca tactggcatt
19681 gaagcaggca gccagaccaa tagaaagcgc cagacctgca tgtttcaacg ggccaacgaa
19741 agcaagggtt atcaattggg tcagaatcaa ggtcgcgatc gcaattttta ctggtgtttt
19801 gatattctga cgtgaataaa agcccgagc gagaacttta accacaatca accccatcaa
19861 gccaaaacag taggcaatta acgcccgtg agtcatctca gcatcaaaag cagaaaagtg
19921 accatattga aataatgata ccgtcagagg ctccgcgaga ataccgagag caactgcaca
19981 aggcaacgcc agcaagaac agagacgtag cccccaatcc atcagttttc gatattcttc
20041 gtgattacca ctggaaaaac ttttcgcccag tgaaggcagc aaaatcgctc ctaacgccac
20101 acccagta caagaaggca attccattaa acgatcagcg taatacatcc atgaaacaga
20161 gcctgaaacc agaaatgagg caaaaattgt attaatgatc aaggaaatct gcccgaccga
20221 tacaccaga attgcaggcc ccatttgacg gataacccgc catacggcac tgtcaccgaa
20281 agaaatccgc ggcaatacca gcatgccgat ctttttcaga tgaggaaagt gataggccaa
20341 ttgcaaaacc cctccggcaa caacggccca acccagcgcc agcactggcg gattgcaata
20401 aggagccaca acaatgcaa aaatgatcat actgacattg agcagtgtcg gagcaaaagc
20461 aggcaccgaa aagcgtttcc atgtattaa gattgcgcca gccaaagaag ccagcgaat
20521 caaaaagata taaggaaacg taattctaa gtttaacagg gtttaagcaa acttatccgg
20581 tgtatccgta aatcccggcg cagtcacata gatgatccaa ggtgcagcaa ttacacctat
20641 cactgagacg atagccagaa tcaatgtcaa catacctgag atatatgcaa taagggtacg
20701 tgttgcctta tcccctgtt gatttttgta ttcggcaaga ataggaacaa aagcttgcga
20761 aaaaagcggc tctgcaaa gacggcgtaa cagggttagt aatttaaagg caacaaaaaa
20821 ggcatccgtc gccattcctg caccaaatat acgagcaata atggcatcac gaataaagcc
20881 cagcacgcga gaaaacatcg tcattgaact gaccgctgcc agtgatttca ataagttcat
20941 ggtatgttcc taaagtgtga ttctattgga attaagcata aaaaatgtaa gctatcccat
21001 caggcatcat aaaaatggca tataaagcaa tctggcggga tagcagccgg tgtttaaagt
21061 ctaacagaca aaaaccctgt ctacattttc tatattacgc cccattagcc ttaccccgag
21121 attcataaac ccactttgcc ccatgcatcg tcagtcaatg ccgtcagcac atgatcttgc
21181 caaacaccat ctatcattaa ataattcttg gcataacctt cctgctcaaa tcccaacttt

```

Fig. 2(iv)

SUBSTITUTE SHEET (RULE 26)

7/14

```

chrom5ed2.seq
21241 ttgagcaggt tcccactacg atgggttatgt ggcattgtaat tagccataat ccggtgcatt
21301 ctctgatagc gctgcatata gcggtatcgca ggttgagcgc cttcatacat caatccttgc
21361 ccttgcaatt tctcagctaa agaataacca agtggaacgc gccgcgtaca
21421 acattagtaa aattcggcac acccataatt tcacgctcat cagagtccaa taatacaaaa
21481 ttaaatgtcg cattctgccc ttgtaactca gcgatatagt tcaaccgatt tgtccatcca
21541 gaggggtgat aaaaactgcc gtcccgtgtt ggctcccatg gcttcaggaa atctttattt
21601 tctgaataat actcagccaa tcgataagca tcacgttcat ataccagacg aacaaccatc
21661 ctatccgtaa taaatcgaat tttgggcatg gcagaacgat aacaaaacat gccttctcct
21721 gatatttgtc ttgaaaaaat tctggataat ttatctctta ttaaaattat tgctattac
21781 cctacgataa aaaaatatca tctataaccc tctaccttaa agatgagatt agggtcagaa
21841 taataagaac ttcataattta attctctcat atttttagtg tgccgaatgt cgttggttcc
21901 acaagcacgt agcttgggta aatacttccct gctatttgat aatttattag ttgttttagg
21961 tttttttgtc gtttttcccc taatttcaat tcgtttcgct gaacaacttg gctggcgccg
22021 attgattgtt ggtttcgctc tggggcttcg tcagcttgtt cagcaaggct tggggatctt
22081 cggtggcgcc atcgacagacc gatttgggtg caagccgatg attgttactg gcatgttatt
22141 gcgagcactg ggttttgtct tgatggcaat ggcacatgag ccatggatat tgcgtcttcc
22201 ctgcgttcta tcaggattgg gaggaacatt gtttgatccc cccagagcgg ctttggctat
22261 taagttaacc cgtcccatg agcgaaggcg tttttattca atcctgatga tgcaggacag
22321 cgcaggtgcc gtgggtggcg cactcatcgg aagctgggtg ctgcaatgt atttcaatat
22381 cgtctgctgg attggtgcat ccatttttgt gctggccgca ttatttaacg cctggctact
22441 gcctgcatac cgtatttcaa caatccgtac tcttatcaaa gaaggcatga tgcgggttat
22501 tagagatcgt cggttccctt actatgtgct gacattgacg ggttattttg tctgtcagt
22561 acaagtgtat cgtatgtttc cgtatattat ccatgaaatt accggcactc ctactgccgt
22621 caaatggatg tatgccattg aaaccgctat ctccctgaca ttgctctatc ccatcgacag
22681 ctggagtgaa aaacatttcc gactggagca gcgcttgatg gcgggcttat ttttgatgag
22741 catctcatg tttccgatcg gctgggtcaa tcaattacat acactgtttg cctgctttg
22801 cctgttttat ttaggttttg taacagccga tccctgctcg gaaacgctga gtgcttact
22861 gtctgatcca cggggcgctg gcagttatat gggatttagc cgtctgggtt tagctctagg
22921 tgggtcgata gggtacaccg gtggagggtg gctctatgat actggccgtg acttgaatat
22981 gccgaatta ccttgatttt tgctaggatt gtctgggttg attaccattt atgctcttca
23041 tcgccaattc aatcagaaga aaattgatcc tgtgatgctt ggtagacatt aatcctatta
23101 gaaatagtgt aaaatctgcc cattgaaaaa aaaaaggagc caatatgaaa agatttttct
23161 tagggcgagc attagtctg gtaggattag tcagcggctg tgatcaattt aaagacttca
23221 gcataacaga aggtctgatg aatgattatt tgctcaaaaa agtgcaattt cagaaaaaaa
23281 tcagcattcc aggtatcgcg aatgccataa tcacgctggg ggatttatcc agccagatag
23341 gccgccagga tctcgaaaaa attgaaactat ccacgcaagc aaaaagttcaa cttgcaacac
23401 tactgggtac gattcaggct gatatgaaac tcaactatcaa ggctaaaccc gtatttgatg
23461 cagaaaaagg cgctattttc gtgaaagggc tggaaatcgt agactaccag acaacaccgg
23521 aaaaagcagc ggctccggtt aaggcattga ttccttatct gaatacctct ttgagttagt
23581 ttttcgatac tcattccggtt tatgttctga atccagaaaa aagcaaggcc gaggcagcag
23641 cctcacaaat cgctaaaaag ttggaaaatta aacccgggaa gttagtattt ggggtgaccg
23701 ataaataaatt tttatcgtca ttgaaataat aagggcaaat tattaatgga taatttgcct
23761 ttttatttta tcaatttagt accgatacac tcgcctgttc atggccttcg gctgaactat
23821 tatcgtgaca ctgtcactca gattctaat catcacgcaa tgcttgcaac gcttcacgag
23881 tgacaatcgc cagcgttcga taaaaaccac tggttgcatg ggcttcaact ttaccgagga
23941 actgcccaaa ccaaggcaaa agatactcat caaacaacgt aatttgtgct tggatttcat
24001 cttcagctgc ctgatcttcc agccatgaca cagccagcaa tagagagccg aactgatcag
24061 caggagtatc agacagtggc attccccgtt ctgtcaaaaa ctgacgtact tcaacttctt
24121 ctccgtccgt ataatacag cgacaaaacag caaactctgc cgatttctca gtaaacagag
24181 cgtgataatc ggctgccatc actgacaatt cactgttttg ctgtaaacga tccagccatt
24241 catcctgttc caaaggccat gcttgtttta gtttcccctc agcaatcatg gtgattaaag
24301 ttgtcaaaaac gggatcctgc ggtgcgcggt taaacaatgt gcccaatatg cggcagacaa
24361 tagaaaattc gttcataact tgattcaatc ccaataaatt atcaaatagc gttattgtcc
24421 ctaattcgct gccatgctgt aaagcaactt gttaatagcc acgtacccta tcgacgaggg
24481 cagttggcat ttcaccctgt accatccgcc ggatattttc acagatgaca tccatcgag
24541 cctcaggaat agtggttagc gcaatatggg gagtcacatt aatacagagg tgagtccaga
24601 atgggtgcat atttgacaat ggttcttcgg caaacacatc aagggttgct cctgcgatat
24661 aacctttatc aatagcaacg agcagatcct gttcgacaag ctgcgctcct cgcgccagat
24721 taatcacata tgaaccgat tttagttggc tgaataatga cagattaagg ataccacgag
24781 tgtcgggagt atcagggaga aggttaatca gcaccttgca gccagaaaga aatcaccca
24841 attgctcttt accgtaaaaa ctttcgacac tatcgagttg ttttgacgtc tgctccaac
24901 aacgcacatt aaaatcaaat tccattaat tcccaatcac acttcgccct aatattccgg
24961 cccctaaac gccgataaca aattcttttc ggttatgctg agcaataggg ttccaaaggc
25021 tgggttcttg gtatcgttta tattcatcca tgcggcgga ataatgcagc actgaggtaa
25081 tgcctatttc ctgcattctg ctcccatcct ctgtatcttc gaggcggtac aatggaacat
25141 cagccagtaa cgtaccggga tttttcgatt cttgtttgaa aatcgcatcg acaccggcac
25201 ccagtgcgaa tatgcctttt agcccctgac gattggctaa catttcataa ggtggctgcc
25261 aaactaatgc atagtctgcg ggtctttgat caccactgac ccattgcctc actttggcat
25321 caggcagacg tgcctgaatt cettgaatcc actcatcggt attaaaggaa ggggtaaaaa
25381 aaataatggt catacaatct tattccttat tgtttttttg ataggggtta cctatttgta
25441 aaatggttgc aagcctctgc tggaaagcga ggaatgaaaa tattaataat gttaccag
25501 taacatattt accactgcat attacaaaaa gcgcatcggc tttagtaaat gactatcgaa

```

Fig. 2(v)

8/14

chrim5ed2.seq

25561	tattcaaat	gttttttatt	tgtgtaatca	gtcaaaaagc	ctgaaaaaat	cgtcataagc
25621	ctgttgagcg	ctgccctgct	tttccctata	gtagcgcccc	gttgacgca	cgaactcaag
25681	tgatatcgct	acaacaacaa	aatacgggtga	gggtgccgag	aggctgaagg	agcacgcctg
25741	gaaagtgtgt	atcgtgaaa	acgtatcgag	gggtcgaaac	cctctctcac	cgccatattc
25801	taagaaagag	cctgaacaca	atactaaggc	ttttttgtgg	ttactcttga	tagagcattg
25861	aatctataat	ttagtaaccc	ttgcggaaaa	tccctgacag	gacgaccgca	gaaacaaaac
25921	acggtgaggt	gtccgagagg	ctgaaggagc	acgcctggaa	agtgtgtata	cgtgaaaacg
25981	tatcgagggg	tcgaacccct	ctctcaccgc	catctttcaa	gagaaagcct	gaacttatgt
26041	tcaggctttt	tcgcatttat	actcccaaaa	gtataggtga	aaaacctcgc	aagggttcac
26101	ctcaacaacc	tgctctaatt	ggaatgtctt	aaagatttgt	ggcttaatta	cacctgttcc
26161	tagcctaata	caaaggacat	acccgaataa	tatgaccatc	gggatcttca	gcaaggaaag
26221	tacggccaaa	aacttcggta	tggggttcct	gtactatttt	gatctcaggg	ttctttcgcc
26281	attcttcaaa	gcaccgatca	acatctttac	cggatggcag	cataatacca	atttcagaaa
26341	atcgcggaat	agcacgatca	ggctttgctc	ctccactcca	aatagcaaac	agtacttcac
26401	caccagcagg	aaatgccaca	taacggggagc	tggcaaatat	cggttcagca	ttgaaaattg
26461	ttttataaaa	agcgggtgaa	ctctcgatat	cagagacgta	aacaagctga	agattgggtt
26521	tgggagatac	tgctctcaacg	acagatttca	gccttaatac	gctttcaacc	agatcttgcg
26581	taccttgctt	aaagaaaactt	tcggcctgaa	cagcgggaat	atttgcatca	ggttcaaatg
26641	aaacggtcac	ctgaacacga	cacgccatat	tgttttcatc	tgtaataatt	tgatgtcggg
26701	atgttaatat	tcccatttga	ggaaggttaa	cctgatcggt	gaattcttta	ttcacttcga
26761	tatttgaaag	ataaaaaacga	atttccggca	ttccacttaa	tatcattctg	ccgtattgac
26821	ccgttttgac	ctcccccttc	aattgaaaat	attcaagatc	gacttcccat	tttttccgca
26881	aatcaaaaatc	gacatagtgc	gccagatat	gggatgggtt	agcgtttacc	gatgtgaaa
26941	aattgagtgt	taacatgaca	aaactctcac	agttaaatgt	atcacattga	agattaagcg
27001	agcttttttaa	tacagtagaa	cagcccgag	agtatcaatg	gtgagtga	atttctgtca
27061	gtagtcttta	tttggctaac	gagaaatttt	ttccattgct	ctccattctt	tgagcaatac
27121	ttgccttgaa	cgggggtaac	attgggtttc	aaattttcaa	cgcatgattc	tatctgatct
27181	gaaatgacga	aattcctcgc	gtaattcaca	ccatccaatc	acaatgctga	tattttcaaa
27241	atagcctaag	gcaaatggcg	atattgttct	ttctgatggg	atgtctttta	tatccaaata
27301	agcgaggggtg	atttttatgcc	gggtattgat	cgccctgacgt	atctgctgaa	tctcgacaac
27361	aggctgaaca	gctgtcgag	caggcccgat	cagtaaggag	cttgcctcca	acatttggtt
27421	caattctgct	gggatcacag	ccgcaatttt	gcttattgca	ttatttgag	attcttttag
27481	ttgggggtct	gcagctttag	ccacccaatt	cgccgccaat	gcccaacgct	ctatttcatt
27541	ttgtgtaaac	atgagcgggtg	gtaacacaaa	tccaggcctc	aaaacgtatc	ctattcccgg
27601	ctcaccttcg	ataatcgcg	cttgagcctg	caacgatgca	atatcccgat	acagtgttct
27661	taagtgtata	ttcaatttct	gcgccaacac	ttttccctga	accggaaagt	gataacggcg
27721	caatattttc	atgagaaata	acaaacgctg	tgctctagac	aattcgtccc	atccattcaa
27781	gttaaccgac	tcatcaacct	ctaataatac	gcaactatca	taattttaatt	gattaaaaag
27841	atagtttttt	gatcccttgt	acaagatcat	tggtattctga	ttgccctttt	agatttttta
27901	ttttattaat	aatgctgata	aattgacctc	taaaggactt	agagaaaaat	gaccatatac
27961	gattttaaacc	cccgtttcca	aaacttactg	cgctctatcg	taattttatct	gtataaacia
28021	gggatcacccg	caaatacagg	cactttaacc	gcgctgttcc	tgtaaatctt	tgccgggttca
28081	ctattgagcc	tatttccctc	gccccacctc	tatttggttgc	tgccgtgttt	cttttctatt
28141	cgcatggctc	tgaatgccat	tgatggcatg	ctggcacggg	aacataacca	gaagtctcat
28201	ctgggcgcta	tttataatga	attgggggat	gtcatttctg	atgttgccct	ctacctcccc
28261	ttctgccttt	tacctgatgt	gaacagcctc	agcctgttga	ttattttatt	cctcactatc
28321	ttgaccgaat	tcatcggtgt	actggcacaa	acgattgggtg	catcacggcg	ctatgacggc
28381	ccgataggaa	aaagtgaccg	tgcttttatc	ttcggagctt	atggattgat	tattgcgatt
28441	ttcccttttg	ccttgggctg	gagtatctct	ttgtttgctt	tcatgatcat	tttactcttg
28501	gtgacttggc	atcagcgctg	ttgtaagacc	ttacgtgaaa	tccggctggc	tgaacagtca
28561	cactccaaat	gaggcggtta	catgacacca	caactcgatc	aacgtattgc	tgaagaacat
28621	tatttccacca	catcagataa	tgcttctctg	ttttaccggt	actggccaca	acaacaggcc
28681	aatccagaca	gagcgatcat	tatttttcac	cggtgtcatg	agcactcagg	acgtatccag
28741	catgtcggtg	acggactcga	tctgcctgat	gttctctatg	tcgcgtggga	tgcccgtgga
28801	cacggtaaga	cagaagggcc	gcgcggttac	agcccatcca	tgggaacgtc	gattcgtgat
28861	gttgatgaat	ttgtcagatt	tattggcaat	cagtacggca	tcgccatgga	aaatatcgtg
28921	gttatcgggc	agagtgtcgg	agcgttatta	gtctctgctt	gggtacacga	ctatgcgcca
28981	aaaatccgcg	ccatgatcct	cgcagcacc	gcatttgata	ttaaattgta	tatccctttt
29041	gccacgcgag	gactgcaatt	gatgcaaaaa	gcacgaggtg	ttttcttcgt	gaattcctat
29101	gtgaaaagcca	gatattctgac	tcacgatgaa	acccgaattg	cctcttataa	tagcgatccg
29161	ttgattaccc	gggaaatcgc	cgtcaatatt	ctcttgatc	tttaccaaac	cgccgagcga
29221	gtagttaaag	atgccgccgc	cattacacta	cctaccctgt	tgtttatctc	aggcagcgat
29281	tatgtagtga	acaaaaaac	acagcatcag	ttttatcagc	agctaaatc	ccctatcaaa
29341	gaaaaacatg	tgatggatgg	cttctaccac	gatacgttgg	gtgaaaaaga	tcgccatctg
29401	gtttttgaca	aaatccgggt	ctttattgag	cgcatttttg	cacttccgcg	ttatcagcac
29461	gattacagcc	aagaagatac	ctggagtcac	tctgccgatg	aatttcgaac	attaagcaca
29521	tcattaccgt	gtctgtgtcc	taagaaactc	agctatcaat	tgatgcgtaa	ggtaatgagt
29581	actcactggg	gcagaacttc	cgagggtgtc	tgcatcggtc	tcaaaacggg	gtttgattcc
29641	ggctccacat	tagattatgt	ctaccgcaac	caaccgcagg	gtaagggcat	tttggggcga
29701	atactcgata	agcattattt	gaacagcatt	ggttggcgcg	gtatacgcca	gcgcaagatc
29761	catattgaaa	gtttgatccg	ccatgctatt	cgcagctctac	gtgaacagaa	tatgcctgtg
29821	catatggttg	atatcgccgc	cggacacgga	cgctatatcc	ttgacgcaat	caacgatttc

Fig. 2(vi)

9/14

chr15ed2.seq

29881	agcaaatgctg	attctatctt	gttaagggac	tatagcgaaa	tcaatgttaa	tcaagggcag
29941	gcttatattg	aggagcgcga	tctgacggac	aaaattcggt	ttattatcgg	tgatgccttt
30001	aatgctgaaa	gcatctcatc	cattacgccca	gcgcgcgacac	tggttattgt	atccggctctc
30061	tatgaattgt	tccctgataa	taatttactc	agaaattcgc	tacgcggctt	tgctgatggt
30121	atgacagaaa	atggttatct	gggttacacc	ggccaaccgt	ggcatccaca	aattgaggtc
30181	atcgcccgtg	ttctttccag	ccatcgtgac	agtcaaccgt	ggatcatgcg	gcgcgcgtact
30241	caaggggaaa	tggacgcatt	agtggagacc	gccgggtttg	aaaaactgta	ccaactgaca
30301	gataactggg	gcattttcac	tgtttcgatt	gccaaagcgtg	ttcatcgctg	atgaataaat
30361	aaatataaga	tggaaacacca	catgcactct	tctctcgata	gtcgtcggcg	cctatggctg
30421	acaggtgtta	tctggctatt	gtttctggct	ccgtttttct	ttcttactta	tggccaggtc
30481	aatcagttca	cggcacaaaag	aagcgatgtc	ggcactgtga	tggtcgggtg	ggaacataac
30541	atcccttttt	gggtcatggtc	gattatccct	tactggagta	tcgatctggt	ctacggaata
30601	tcgttatatta	tctgtaccca	tcgcgcgtgaa	cagtggcttc	acggctggcg	attaatgacc
30661	gcatcatga	tgcctgtgt	tggtattctta	ctgttccctc	tgaaattttc	gttctccgc
30721	ccaccacag	aaggcctatt	tggctgggtta	tttaatacaac	tggagtatt	tgatctgccc
30781	tataatcaag	ccccttccct	gcacattatt	ctgctgtggt	tgctctggct	gcgctattca
30841	gcctacgtga	gtggttactg	gcgtgggttg	ctgcacattt	ggtcagtgct	gattgcactc
30901	tcggtttctga	cgacttggca	gcacattttt	atcgatgtac	taacgggttt	tgccgttggg
30961	gtcatcctca	gttacctact	gccggtttca	taccgctggc	gctggcaacc	taatcaagat
31021	cgctatgcac	ggaagtatt	cggtattat	ctgacaggca	gcgctttgtt	cgcgcttata
31081	tcggtttctgc	tgggggggag	tttctggata	ctgctgtggc	ctgctgtatc	gttactgatg
31141	atcgactggt	gctacgcagg	attagggcagc	tccgtgtttc	aaaaacagcc	agatggccgg
31201	atgtcactgt	ctgacgcgtg	gctactggcg	ccataccaac	tgaggagcatg	gctctcttat
31261	ctctggttcc	ggcgtaaaag	cgcacctttc	aaccatataa	ctgaagggat	tattctcggc
31321	agcctgcctt	gccagcccgt	tacggcggtc	agtgtccttg	atataaccgc	tgagtggcac
31381	aggcgatcgg	atgcccgcac	agtaaatatt	gtttgccagc	cgcaaatcga	cttactgccg
31441	ctggcacctg	aagctctaca	atcggcagtt	tgtagcgtgg	ataaactacg	ccagcaggga
31501	gatgttttctg	ttcattgtac	gcttggactg	tcacgcagtg	cgatggtggg	agcagcatgg
31561	ctactgaaac	agcatcctga	atatgatatac	aacactgtcg	tagcaatcct	gcgtaaaagg
31621	agaccgcag	tcacgttcag	acaaacacat	ctggatgcc	tgtctcaatg	ggcaaaaggc
31681	tacctataac	ggggaacata	acatgcagcc	ggaaaactcg	atcagcaaaag	tgattatcgc
31741	aacgttaaaa	agctggcgct	ttatatccac	actatctgct	ttttctatcc	tgatcgcgac
31801	tgcaatgctg	attgctgtct	tcaacactac	cgctttaaac	aacattgcac	tctatgccgt
31861	acttatttct	acaacgctgt	actgccaata	ctattgttgg	cgacttggc	ttgactgcc
31921	ctattttcag	atcctcaatt	catcccctga	aaaaagcgcc	gagttcgatc	aaacgttatt
31981	ctgatatttt	aacaagttaac	cccaatcacg	gacacagaat	gatcgcttta	acggagcaat
32041	caaactgtta	aaaaaggcta	cgattgggtct	gatcctgcaa	tgatactgt	ttttcctgtt
32101	tctgcttact	ttgaaatatt	cagcctgaat	tcagctttaa	tctgacaaag	tcagaacgta
32161	acgatgttac	atcttctcga	ctgtactact	attaaactaac	tttttagacct	gtaacacctt
32221	tattgggtga	taaaagagat	actctttacat	attctttttc	agcccgtcat	gcggacgcct
32281	tattttttgg	tttttagatta	aatgaatact	cgtaaaatta	atgggatacg	cccathtagt
32341	gcgtttattg	actcatgtct	gaaggaatct	tactctttcc	cccgtttttt	cagagataac
32401	atcgctggga	taccgtggg	tggtatcgct	atcccattgg	caatggctct	ggcgataggga
32461	agcggagttg	caccacagta	tggcctgtat	actgccgcta	tcgccggcat	tgatcatgcc
32521	atgacccgag	gctcacgtta	tagcgtttcc	ggcccaacgg	cggtttttgt	ggtgatcctt
32581	tacctgttt	cacagcagtt	tggtttgagc	ggcctgtcca	ttgcgacgct	gatgtcaggt
32641	gtgatattga	ttgtgatggg	attggcagct	tttggccggc	ttatcgaata	tattcctatg
32701	tctgttacct	ttggatttac	ttccggtatt	gccatcacta	tcgctaccat	gcaggtgcaa
32761	aattttcttg	gcctgaaact	ggcacatata	ccggaaaatt	atattgataa	ggtagtgcga
32821	ctttatcaag	ccctgccttc	attacaattg	agtgtacgcg	ttatcgggct	gactacgctt
32881	ctggtactga	ttttctggcc	gaaactggga	gtaaagttaac	cggtgtcactt	accgcttttg
32941	atcgccggta	cagctgttat	gggcgcaatg	catctgctga	accatgatgt	cgccaccatt
33001	ggttcatcgt	ttagtacac	actggcggat	ggtacgcagg	gtcaaggcat	tccccaccatt
33061	cttccccaat	ttgtcctgcc	gtggaatttg	cccgtacacac	attctctcga	tattagctgg
33121	aataccgtat	cggcattgct	gcccgtcgcg	ttttcgatgg	ccatgtctgg	tgcgattgaa
33181	tcgttactgt	gtgcagtgat	tctggatggg	atgacaggga	aaaaacacca	ttctaaccgt
33241	gagctgcttg	gccaggggtt	gggcaatatt	ggcggccctt	tctttggtgg	cattaccgcc
33301	actgcggcta	tcgcccggtc	agccgccaat	gtgcggggcag	gtgcaacttc	cccgtatgcc
33361	gctgtggtgc	attccctgct	ggtattatta	acattgctgg	ttttggctcc	gatgctctct
33421	tattttaccac	tggcggcaat	gtcagccatt	ctgctgattg	tcgcgtggaa	tatgagcgag
33481	gcacataagg	tagtggtatt	aatacggcat	gcgcctaaag	atgacattat	tgatcatgctt
33541	ttgtgtctgt	cattgactgt	cctattcgat	atggtccgct	gcgatcacta	tcggcattgt
33601	gtgaaactca	ctcctgttta	tgccgcaaat	tgccaatatg	actcgaaatca	gcagctcatc
33661	tttaacaagc	gcggaagaaag	ggttatttgt	cgtacgaatt	aacggccctt	tattcttcgc
33721	tcgccggcaa	cgtatttttg	ccgaactgag	agaaaaaagt	gctgattatc	aaaccatcat
33781	cagtcagtg	gatgccgtac	ccgttttggg	cgctggcgga	ttacacgctt	ttcagggttt
33841	tgtgcgcgaa	cttggcgaag	aaaaacatat	cgctgtatgt	gatattccct	tccagccatt
33901	gaaaacgctg	gcaagagcca	aagtattgcc	gattgaagga	gagctgagtt	tttatgctac
33961	cttacccaag	gcactaaaag	agatggcagt	tgattacacg	cctgaggtgt	gtgcttcttc
34021	agaaagatt	caaggtcagt	aacaaacagt	cacctctgc	cagttatgct	ggcagagggg
34081	gactaataga	agactagcgt	aggaatttat	ttgctgggat	ccagttccgg	gaaatttttc
34141	accacgtcat	caatcgcttt	aatttgcac	aggaatgact	ccagttttgc	caatggcaaa

Fig. 2(vii)



10/14

chrim5ed2.seq

```


34201 gcagacgggc catcacattt ggcattttct ggatctgggt gcgcttcaag gaacagacct
34261 gcgatcccca cagccatacc cgcacgagcc agttcagcaa cctgcgcgcg acggccaccg
34321 gaagctgcac ctaatgggtc gcggcactgt aatgcatgag tgacgtcgaa aatgacgggc
34381 gcaccttggg tagcttggtg catgacaccg aagcccagca tgtcaaccac cagattgtca
34441 taaccaaagt tgctgccacg gtcacacagc atcacctggt cattgccgcc ttctttgaat
34501 ttttcaacaa tattgcccat ttgcccaggg ctaacaaact gtggtttttt aacattaatc
34561 acagcaccgg ttttcgcat cgcttcaacc agatcggtct ggcgggcaag gaaggctgga
34621 agctgaatca catccaccac atccgcgact gggtgagcct gtgcaggctc atgcacgtca
34681 gtgataattt tcacgccgaa ggtttgtttc agttcctgaa agattttcat cccctcttcc
34741 agccctggcc cacgataaga gcggatagaa gaacggttag ctttatcaaa agacgcttta
34801 aaaacataag gaatgccag tttttgtgac acggtgacat agtgctcaca aatccgcatg
34861 gccaaatccc gtgattcaag gacgttcatt ccacaaaca atacaaatgg cagatcattt
34921 gcgacctga tatcaccaat attaaccaat ttctgttgca tgcttatac ttctctgtt
34981 aaggggcaaat aaatttgctg tatcaataaa aaaataaacc taatgcagga caatcaaccg
35041 ctgttctatg gtgttaattt gcatttttat catttctgag attgggtcct cagggcaatg
35101 ttcgacaaaa taactcaaat ccgaaacagc aatatgattg cagtcgagct gggcatagat
35161 aagcccccga tcgcggattt catagggatc atcgggatca aacgtcagca ccacttcgct
35221 ggccttaagc gccagttcca tctttttctc ttccatcaga gaaactttga tgggtgcagt
35281 gattttgcgc acgaggctga cattatcgcc ttctgcgaaa tcctgttttt tcagacgaac
35341 agttgggcca atattacctt ttaaccagac atccagcgta tgctcattca gcgtatcccc
35401 attcaaggga ttaatgaacc aagtgggctg atcaagcaaa tcaatccgca atatcagttg
35461 gattggaaat atgacaggct gtaccgacag cccagcgccc tgagcaatat gcgtaaacac
35521 cgtacccaat gatacagggt agccttgacg tgaatggagt aagcgatcca gccacagggt
35581 atctgataga caatacacc ctaggtctcc accaaaactc cattcccgat aaaaaagtgt
35641 tagcagcgaa tccaatttca ctttggaaac ggtaatggag gaaagcctct gccgggcttc
35701 ttcaaccaat gcagttagct gctcactcac cagagtctga ggaaaatcag ggcggataat
35761 ttttgatacc agaataatac cgtcaatcag gggagtatta ttgaattcat aattaactat
35821 ggggttccat tttattccat cccttctcta tgatgcgttc attaccgcca taatcctgaa
35881 aagtcgctat ctgttgataa ccttctctca aaaatagggt tctgacaacg gttccctggt
35941 tccagccatg ttccagcaat agccatccat ttggtgacag gaaatggcgc gcctgtccca
36001 caattgcctg caaatccgcc atgccatttt gtgcagcgat caatgcagtg gctggttcaa
36061 acctgatata cccttctgt agataggatg cacgctcatc tatatacgga ggattgctga
36121 caatcatatc aaattgttgg ttaccactgt ctgcaaaaca ctactttgc aaaaaattca
36181 catttgtaat ggccagtttt ccggcgtttt tttcagcatt gtgtgtgccc agcatcacgg
36241 catcagagtt gatatcgacc cctgtccatc aacaatcatt ccgctcactt gccaatgcca
36301 gtgcaatcgc ccccgctccc agacattcag ccagaatccg ggctggagaa tcaggcaata
36361 attccaatgc cttctccacc agacattcag tatcagggcg cgggatcaac gtcgctggcg
36421 atacggcaaa cggcagtgac cagaattccc gttaccaaat aatataagct accggctctc
36481 cctgaatgcg gcgcaccagc aggctatcaa gctgatgcaa ttcttccgat gagattagcg
36541 tttcatcgaa agcaatcaga taagtacggg aacgcctgt cactatccc aacaagattt
36601 ccgcatcacg cttagggtg tcaacttcag acaactgggt agccgcatgt tgtagccagc
36661 attggtaatt cattaatcct gctctgacag tgacagacgt tgatctgcct gatattcgat
36721 aatgatcggc tgaataagca tatcagttt gccttctatc acttcatcaa ggcggtataa
36781 cgtcagattg attcgggtg cagtcacacg cccctgtggg aagttatagg tgcggttgcg
36841 atctgagcgg tcaccagaac ccagcaaat tcggcgttca gaggcttcca cttcttggcg
36901 cttccgcata tcagcagcac ggatacgcgc tgccaatacg gacatcgctt ttgctttggt
36961 tttgtgctgg gaacgctcat cctgacattc cactacgata cccgttggga gatgggtaat
37021 tcgaatcgca gaatcgggtg tattgacgtg ctgcccaccc gcaccggaag agcgaacgt
37081 atctattttc aaatcacccg ggctgatgtc cggtaatcca gcttctggaa tttctggcat
37141 gacagccaca gtacaggcag aagtgtgaat gcgcccctga gattccgttt ccggtacacg
37201 ctggacacga tgaccgcctg attcaaatat caagtgaaca taaacctgat caccgaaac
37261 tttggcaatc acttctttgt agccaccatg ctgccttcg ttggcgctta taatctctac
37321 tctccagcgg cgggcttccg catagcggct atacatgcgg aacaaatctc ccgcaaatat
37381 cgcggcttca tcgccaccgg ttctgcccc gacttcaagg aaacagttgc gctcatcatc
37441 cggactcttc ggcaacagca gtgctgttag ctgctgttcc agctcttcat tacgaatttt
37501 tgctctcttg agctcttctt gcgccatttc ccgcatttcg acca

```

Fig. 2(viii)



11/14



**chrom5ed2.seq (37544 bps)** Fig. 3

12/14




Fig. 4

13/14




Fig. 4(cont'd)

14/14




Fig. 5

# INTERNATIONAL SEARCH REPORT

Int. Application No

PCT/GB 00/00219

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A01N63/00 A01N63/02 C12N15/31 C12P21/00 C07K14/24  
 //(C12P21/00,C12R1:01)

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X	<p>WO 99 22598 A (UNIV READING ;ELAWAD SAMI            ABDULRAHAMAN (GB); HAGUE NIGEL GRAHAM MA)            14 May 1999 (1999-05-14)            cited in the application            page 1 -page 2            page 4, line 7 - line 14            page 5, line 2 - line 8            page 5, line 25 - line 28            page 8, line 1 - line 15; claims            1-3,9,10,14; example 5</p> <p style="text-align: center;">-/-</p>	1-9,11, 29

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### \* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

16 May 2000

Date of mailing of the international search report

13/06/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
 NL - 2280 HV Rijswijk  
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
 Fax: (+31-70) 340-3018

Authorized officer

Muellners, W

## INTERNATIONAL SEARCH REPORT

Int. Application No

PCT/GB 00/00219

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X,P	<p>DATABASE BIOSIS 'Online!  BIOSCIENCES INFORMATION SERVICE,  PHILADELPHIA, PA, US  AN 2000:109497,  GREWAL, PARWINDER S. (1) ET AL:  "Allelopathy: A possible mechanism of  suppression of plant-parasitic nematodes  by entomopathogenic nematodes."  retrieved from STN  XP002136524  abstract  &amp; NEMATOLOGY, (NOV., 1999) VOL. 1, NO.  7-8, PP. 735-743. ,</p>	1-9,11, 29
X,P	<p>DATABASE BIOSIS 'Online!  BIOSCIENCES INFORMATION SERVICE,  PHILADELPHIA, PA, US  AN 2000:109391,  HAN, RICHOU ET AL: "Trans - specific  nematicidal activity of Photorhabdus  luminescens."  retrieved from STN  XP002136525  abstract  &amp; NEMATOLOGY, (NOV., 1999) VOL. 1, NO.  7-8, PP. 687-693. ,</p>	1-9,11, 29
X,P	<p>CHEMICAL ABSTRACTS, vol. 132,  Columbus, Ohio, US;  abstract no. 163304,  HU, KAIJI ET AL: "Nematicidal metabolites  produced by Photorhabdus luminescens  (Enterobacteriaceae), bacterial symbiont  of entomopathogenic nematodes"  XP002136522  abstract  &amp; NEMATOLOGY (1999), 1(5), 457-469 ,</p>	1-9,11, 29
X,P	<p>WO 99 42589 A (NOVARTIS ERFINDUNGEN  VERWALTUN ;NOVARTIS AG (CH); KRAMER VANCE  CAR) 26 August 1999 (1999-08-26)  cited in the application  page 1 -page 2, paragraph 3; claims</p>	12-18
X	<p>CHEMICAL ABSTRACTS, vol. 126,  Columbus, Ohio, US;  abstract no. 234686,  GEORGIS, R. ET AL: "Novel pesticidal  substances from the entomopathogenic  nematode-bacterium complex"  XP002136523  abstract  &amp; ACS SYMP. SER. (1997),  658(PHYTOCHEMICALS FOR PEST CONTROL),  134-143 ,</p>	1-9,11, 29

-/-

# INTERNATIONAL SEARCH REPORT

Int. onal Application No

PCT/GB 00/00219

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	K. HU ET AL.: "Mortality of Plant-Parastic Nematodes Caused by Bacterial (Xenorhabdus spp. and Photorhabdus Luminescens) Culture Media" JOURNAL OF NEMATOLOGY, vol. 27, no. 4, December 1995 (1995-12), XP000905673 the whole document	1-9,11, 29
X	WO 98 08388 A (MORGAN JAMES ALUN WYNNE ;JARRETT PAUL (GB); ELLIS DEBORAH JUNE (GB) 5 March 1998 (1998-03-05) cited in the application page 1, line 4 - line 9 page 6, line 21 -page 9, line 9 page 11, line 10 -page 12, line 19; claims 17,18,21,23-25,29	6-9, 11-30
X	PATENT ABSTRACTS OF JAPAN vol. 013, no. 286 (C-613), 29 June 1989 (1989-06-29) -& JP 01 080294 A (SUMITOMO CHEM CO LTD;OTHERS: 01), 27 March 1989 (1989-03-27) abstract; figures 2-1	12-18
A	WO 92 19739 A (MYCOGEN CORP) 12 November 1992 (1992-11-12) cited in the application	1-30
X	page 1 -page 2, line 32; claims	12-18

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/GB 00/00219

### Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claims Nos.:  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

### Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)

This International Searching Authority found multiple inventions in this International application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.



# INTERNATIONAL SEARCH REPORT

Information on patent family members

Int'l Application No

PCT/GB 00/00219

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9922598 A	14-05-1999	AU 9753098 A	24-05-1999
WO 9942589 A	26-08-1999	AU 3028699 A	06-09-1999
WO 9808388 A	05-03-1998	AU 4024997 A	19-03-1998
		CN 1233938 A	03-11-1999
		EP 0923295 A	23-06-1999
		ZA 9707373 A	15-02-1999
JP 01080294 A	27-03-1989	JP 2117839 C	06-12-1996
		JP 8017707 B	28-02-1996
WO 9219739 A	12-11-1992	AU 667041 B	07-03-1996
		AU 2025292 A	21-12-1992
		AU 656726 B	16-02-1995
		AU 7826491 A	12-12-1991
		BR 9205969 A	26-07-1994
		CA 2042868 A	12-12-1991
		EP 0462721 A	27-12-1991
		EP 0517367 A	09-12-1992
		HU 62928 A	28-06-1993
		JP 4229170 A	18-08-1992
		NZ 242560 A	26-01-1994
		PL 290626 A	24-02-1992
		US 5439881 A	08-08-1995
		US 5753492 A	19-05-1998
		ZA 9203168 A	27-01-1993

**THIS PAGE BLANK (USPTO)**